

HIKVISION

لیست قیمت رسمی مهر ۱۳۹۷

درباره هایک ویژن

شرکت هایک ویژن (Hikvision) یک شرکت چینی فعال در زمینه تولید تجهیزات مداربسته است. این شرکت کار خود را در سال ۲۰۰۱ در شهر هانگ ژو آغاز کرد و مسیر پیشرفت را با سرعتی بالا طی کرد به طوری که در سال ۲۰۱۴ به عنوان سومین تولید کننده بزرگ تجهیزات حفاظتی - امنیتی و اولین تولید کننده تجهیزات مداربسته در جهان شناخته شد. شرکت هایک ویژن در سال ۲۰۱۳ بیش از ۱۳۰۰۰ نفر را به صورت مستقیم به اشتغال در آورده که با داشتن تیم تحقیق و توسعه ای ۴۰۰۰ نفری دارای بزرگترین تیم تحقیق و توسعه جهان محسوب می شود. این شرکت دارای ۳۰ نماینده مملی در چین و بیش از ۱۶ نماینده بین المللی در جهان است که تجهیزات این شرکت را به طور فعال توزیع می کنند.

آسان تجارت

نمایندگی پخش محصولات هایک ویژن



Asan Tejarat

افتخارات هایک ویژن

سومین تولید کننده بزرگ تجهیزات حفاظتی جهان
در سال ۲۰۱۴ و ۲۰۱۵
اولین تولید کننده دوربین مداربسته و تجهیزات نظارت تصویری
در سال ۲۰۱۵
تولید بیشتر از ۲۰٪ از کل دستگاه های DVR دنیا
برنده جایزه ملی ZUBR روسیه
در سال ۲۰۱۳
برنده جایزه طراحی محصول RED DOT
در سال ۲۰۱۲
برنده جایزه طراحی بهترین دوربین IP
در سال ۲۰۱۲ در Secutech
برنده جایزه "Golden Excellence Award"
در سال ۲۰۱۱ CPSE
برنده جایزه FSdays در سال ۲۰۱۰

1080p Entry-Level Series

برای کنترل موجودی در لیست با

شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

1

2

3

4

5

6

Click for More
information

DS-2CE56D0T-IRMM

DS-2CE56D0T-IR

DS-2CE56D0T-IRM

DS-2CE56D0T-IT1

DS-2CE56D0T-IT3

DS-2CE56D1T-VFIR3



| | | | | | | |
|-------------------|-----------------------|-----------------------|-----------------------|-------------------------|-------------------------|------------------------------|
| Price (Rials) | ۴,۱۰۰,۰۰۰ | ۴,۲۷۰,۰۰۰ | ۴,۶۱۰,۰۰۰ | ۵,۴۶۰,۰۰۰ | ۵,۶۴۰,۰۰۰ | ۱۰,۹۲۰,۰۰۰ |
| Camera Type | Dome | Dome | Dome | Dome | Dome | Dome |
| Imaging Sensor | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS |
| Resolution | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P |
| Signal System | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI |
| Min. Illustration | 0.1Lux/F1.2 | 0.1Lux/F1.2 | 0.1Lux/F1.2 | 0.1Lux/F1.2 | 0.1Lux/F1.2 | 0.1Lux/F1.2 |
| Lens | 2.8mm/3.6mm Fix | 2.8mm/3.6mm Fix | 2.8mm/3.6mm Fix | 2.8mm/3.6mm Fix | 2.8mm/3.6mm Fix | 2.8 - 12mm Vari-Focal |
| Viewing Angle | 105°/85° | 105°/85° | 105°/85° | 105°/85° | 105°/85° | 105° - 32° |
| IR Range | Up to 20m | Up to 20m | Up to 20m | Up to 20m (EXIR) | Up to 40m (EXIR) | Up to 40m |
| Body Type | Plastic | Plastic | Metal | Plastic | Plastic | Metal |
| IP Standard | IP66 | IP66 | IP66 | IP66 | IP66 | IP66 |
| OSD Menu | No | No | No | No | No | Yes (on Coax) |
| WDR | No | No | No | No | No | No |
| Power Supply | 12V DC | 12V DC | 12V DC | 12V DC | 12V DC | 12V DC |
| Other Features | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR |

7

8

9

10

11

Click for More
information

DS-2CE16D0T-IR

DS-2CE16D0T-IT1

DS-2CE16D0T-IT3

DS-2CE16D0T-IT5

DS-2CE16D1T-VFIR3



| | | | | | |
|-------------------|-----------------------|-------------------------|-------------------------|-------------------------|------------------------------|
| Price (Rials) | ۴,۶۱۰,۰۰۰ | ۵,۴۶۰,۰۰۰ | Call:88512912 | Call:88512912 | ۱۱,۱۰۰,۰۰۰ |
| Camera Type | Bullet | Bullet | Bullet | Bullet | Bullet |
| Imaging Sensor | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS |
| Resolution | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P |
| Signal System | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI |
| Min. Illustration | 0.1Lux/F1.2 | 0.1Lux/F1.2 | 0.1Lux/F1.2 | 0.1Lux/F1.2 | 0.1Lux/F1.2 |
| Lens | 3.6mm Fix | 3.6mm/6mm Fix | 3.6mm/6mm Fix | 3.6mm/6mm Fix | 2.8 - 12mm Vari-Focal |
| Viewing Angle | 91° | °91°/62° | 91°/62° | 91°/62° | 105° - 32° |
| IR Range | Up to 20m | Up to 20m (EXIR) | Up to 40m (EXIR) | Up to 80m (EXIR) | Up to 40m |
| Body Type | Metal | Metal | Metal | Metal | Metal |
| IP Standard | IP66 | IP66 | IP66 | IP66 | IP66 |
| OSD Menu | No | No | No | No | Yes (on Coax) |
| WDR | No | No | No | No | No |
| Power Supply | 12V DC | 12V DC | 12V DC | 12V DC | 12V DC |
| Other Feathures | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR |

1080p High-Level Series

برای کنترل موجودی در لیست با

شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

12

13

14

15

16

Click for More
information

DS-2CE56D7T-ITM

DS-2CE56D7T-IT1

DS-2CE56D7T-IT3

DS-2CE56D7T-VPIT

DS-2CE56D7T-IT3Z



| | | | | | |
|-------------------|-------------------------|-------------------------|-------------------------|-------------------------|-----------------------------|
| Price (Rials) | Call:88512912 | Call:88512912 | Call:88512912 | Call:88512912 | Call:88512912 |
| Camera Type | Dome | Dome | Dome | Dome | Dome |
| Imaging Sensor | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS |
| Resolution | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P |
| Signal System | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI |
| Min. Illustration | 0.01Lux/F1.2 | 0.01Lux/F1.2 | 0.01Lux/F1.2 | 0.01Lux/F1.2 | 0.01Lux/F1.2 |
| Lens | 2.8mm/3.6mm Fix | 2.8mm/3.6mm Fix | 2.8mm/3.6mm Fix | 3.6mm Fix | 2.8 - 12mm Motorized |
| Viewing Angle | 105°/85° | 105°/85° | 105°/85° | 91° | 105° - 32° |
| IR Range | Up to 20m (EXIR) | Up to 20m (EXIR) | Up to 40m (EXIR) | Up to 20m (EXIR) | Up to 40m (EXIR) |
| Body Type | Metal | Plastic | Plastic | Metal | Metal |
| IP Standard | IP66 | IP66 | IP66 | IP66 | IP66 |
| OSD Menu | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) |
| WDR | Yes (120db) | Yes (120db) | Yes (120db) | Yes (120db) | Yes (120db) |
| Power Supply | 12V DC | 12V DC | 12V DC | 12V DC | 12V DC |
| Other Features | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR |

17

18

19

20

21

22

Click for More
information

DS-2CE16D7T-IT

DS-2CE16D7T-IT1

DS-2CE16D8T-IT

DS-2CE16D8T-IT3

DS-2CE16D8T-IT3Z

DS-2CE16D8T-ITE



| | | | | | | |
|-------------------|-------------------------|-------------------------|-------------------------|-------------------------|-----------------------------|-------------------------|
| Price (Rials) | Call:88512912 | Call:88512912 | Call:88512912 | ۸,۱۹۰,۰۰۰ | ۱۳,۶۵۰,۰۰۰ | ۶,۸۳۰,۰۰۰ |
| Camera Type | Bullet | Bullet | Bullet | Bullet | Bullet | Bullet |
| Imaging Sensor | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2MP Prog. CMOS | 2M Smart FSI CMOS |
| Resolution | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P |
| Signal System | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI |
| Min. Illustration | 0.01Lux/F1.2 | 0.01Lux/F1.2 | 0.005 Lux/F1.2 | 0.005 Lux/F1.2 | 0.005 Lux/F1.2 | 0.005 Lux/F1.2 |
| Lens | 2.8mm/3.6mm Fix | 2.8mm/3.6mm Fix | 2.8/3.6/6mm Fix | 3.6/6/8/12/16 Fix | 2.8 - 12mm Motorized | 2.8/3.6/6mm Fix |
| Viewing Angle | 105°/85° | 105°/85° | 105°/85°/65° | 105°/85°/65° | 103° - 32.1° | 105°/85°/65° |
| IR Range | Up to 20m (EXIR) | Up to 20m (EXIR) | Up to 20m (EXIR) | Up to 40m (EXIR) | Up to 40m (EXIR) | Up to 20m (EXIR) |
| Body Type | Metal | Metal | Metal | Metal | Metal | Metal |
| IP Standard | IP66 | IP66 | IP66 | IP66 | IP66 | IP66 |
| OSD Menu | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) |
| WDR | Yes (120db) | Yes (120db) | Yes (120db) | Yes (120db) | Yes (120db) | Yes (120db) |
| Power Supply | 12V DC | 12V DC | 12V DC | 12V DC | 12V DC | 12V DC |
| Other Features | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR |

23

24

25

26

27

28

Click for More
information

DS-2CE16D8T-IT3E

DS-2CE56D8T-ITM

DS-2CE56D8T-ITME

DS-2CE56D8T-IT1

DS-2CE56D8T-IT1E

DS-2CE16D0T-WL5



| | | | | | | |
|-------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|
| Price (Rials) | ۸,۱۹۰,۰۰۰ | Call:88512912 | ۶,۸۳۰,۰۰۰ | ۷,۱۷۰,۰۰۰ | ۷,۱۷۰,۰۰۰ | Call:88512912 |
| Camera Type | Bullet | Dome | Dome | Dome | • Dome | Bullet |
| Imaging Sensor | 2M Smart FSI CMOS | 2MP Prog. CMOS | 2M Smart FSI CMOS | 2MP Prog. CMOS | 2M Smart FSI CMOS | 2MP Prog. CMOS |
| Resolution | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P | HD1080P |
| Signal System | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI |
| Min. Illustration | 0.005 Lux/F1.2 | 0.005 Lux/F1.2 | 0.005 Lux/F1.2 | 0.005 Lux/F1.2 | 0.005 Lux/F1.2 | 0.01Lux/F1.6 |
| Lens | 3.6mm Fix | 2.8/3.6/6mm Fix | 2.8/3.6/6mm Fix | 2.8/3.6/6mm Fix | 2.8/3.6/6mm Fix | 2.8/3.6/6mm Fix |
| Viewing Angle | 85° | 105°/85°/65° | 105°/85°/65° | 105°/85°/65° | 105°/85°/65° | 105°/85°/65° |
| IR Range | Up to 40m (EXIR) | Up to 20m (EXIR) | Up to 20m (EXIR) | Up to 20m (EXIR) | Up to 20m (EXIR) | White supplement light |
| Body Type | Metal | Metal | Metal | Metal | Metal | Metal |
| IP Standard | IP66 | IP66 | IP67 | IP66 | IP66 | IP66 |
| OSD Menu | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | NO |
| WDR | Yes (120db) | Yes (120db) | Yes (120db) | Yes (120db) | Yes (120db) | NO |
| Power Supply | 12 VDC/built-in PoC | 12V DC | 12 VDC/built-in PoC | 12V DC | 12 VDC/built-in PoC | 12V DC |
| Other Feathures | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | Smart IR, 3D DNR, ICR | - |

3Mp Series

برای کنترل موجودی در لیست با

شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

29

30

31

32

33

34

Click for More
information

DS-2CE56F1T-ITM

DS-2CE56F1T-IT1

DS-2CE56F1T-IT3

DS-2CE56F1T-IT3Z

DS-2CE56F7T-IT3

DS-2CE56F7T-IT3Z



Price (Rials)

۵,۲۹۰,۰۰۰

۵,۸۱۰,۰۰۰

۶,۱۵۰,۰۰۰

Call:88512912

Call:88512912

۱۷,۰۷۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

Resolution

3MP (1920*1536)**3MP (1920*1536)****3MP (1920*1536)****3MP (1920*1536)****3MP (1920*1536)****3MP (1920*1536)**

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8mm/3.6mm Fix

2.8mm/3.6mm Fix

3.6mm Fix

2.8 - 12mm Motorized

3.6mm Fix

2.8 - 12mm Motorized

Viewing Angle

105°/85°

105°/85°

91°

105° - 32°

91°

105° - 32°

IR Range

Up to 20m (EXIR)**Up to 20m (EXIR)****Up to 40m (EXIR)****Up to 40m (EXIR)****Up to 40m (EXIR)****Up to 40m (EXIR)**

Body Type

Metal**Metal****Metal****Metal****Metal****Metal**

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

Yes (on Coax)**Yes (on Coax)**

WDR

No

No

No

No

Yes (120db)**Yes (120db)**

Power Supply

12V DC

12V DC

12V DC

12V DC

12V DC

12V DC

Other Features

Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR

35

36

37

38

39

40

Click for More
information

DS-2CE16F1T-IT

DS-2CE16F1T-IT1

DS-2CE16F1T-IT3

DS-2CE16F1T-IT5

DS-2CE16F1T-IT3Z

DS-2CE16F7T-IT3Z



Price (Rials)

Call:88512912

۵,۹۸۰,۰۰۰

۶,۴۹۰,۰۰۰

۷,۱۷۰,۰۰۰

Call:88512912

۱۷,۰۷۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

Resolution

3MP (1920*1536)**3MP (1920*1536)****3MP (1920*1536)****3MP (1920*1536)****3MP (1920*1536)****3MP (1920*1536)**

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8mm/3.6mm Fix

2.8mm/3.6mm Fix

2.8mm/3.6mm Fix

2.8mm/3.6mm Fix

2.8 - 12mm Motorized**2.8 - 12mm Motorized**

Viewing Angle

105°/85°

105°/85°

105°/85°

105°/85°

105° - 32°

105° - 32°

IR Range

Up to 20m (EXIR)**Up to 20m (EXIR)****Up to 40m (EXIR)****Up to 80m (EXIR)****Up to 40m (EXIR)****Up to 40m (EXIR)**

Body Type

Metal**Metal****Metal****Metal****Metal****Metal**

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

Yes (on Coax)

WDR

No

No

No

No

No

Yes (120db)

Power Supply

12V DC

12V DC

12V DC

12V DC

12V DC

12V DC

Other Features

Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR Smart IR, 3D DNR, ICR

5Mp Series

برای کنترل موجودی در لیست با

شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

41

42

43

44

45

46

Click for More
information

DS-2CE56H1T-IT1

DS-2CE56H1T-ITM

DS-2CE56H1T-ITME

DS-2CE56H1T-IT1E

DS-2CE56H1T-IT3E

DS-2CE56H1T-IT3ZE



Price (Rials)

Call:88512912

Call:88512912

۷,۱۷۰,۰۰۰

۸,۱۹۰,۰۰۰

۸,۸۸۰,۰۰۰

۱۴,۳۴۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8 - 12mm Motorized

Viewing Angle

105°/85°/65°

105°/85°/65°

105°/85°/65°

105°/85°/65°

105°/85°/65°

105°/85°/65°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal

Metal

Metal

Metal

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

WDR

NO

NO

NO

NO

NO

NO

Power Supply

12 VDC

12 VDC

12 VDC/built-in PoC

12 VDC/built-in PoC

12 VDC/built-in PoC

12 VDC/built-in PoC

Other Features

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR

47

48

49

Click for More
information

DS-2CE56H0T-IT1F

DS-2CE56H0T-IT3F

DS-2CE56H0T-IT3ZF



| | | | |
|-------------------|-------------------------|-------------------------|-------------------------------|
| Price (Rials) | ۶,۸۳۰,۰۰۰ | ۷,۳۴۰,۰۰۰ | ۱۲,۹۷۰,۰۰۰ |
| Camera Type | Dome | Dome | Dome |
| Imaging Sensor | 5MP Prog. CMOS | 5MP Prog. CMOS | 5MP Prog. CMOS |
| Resolution | 5MP (2592*1944) | 5MP (2592*1944) | 5MP (2592*1944) |
| Signal System | HD-TVI | HD-TVI | HD-TVI |
| Min. Illustration | 0.01 Lux/F1.2 | 0.01 Lux/F1.2 | 0.01 Lux/F1.2 |
| Lens | 2.8/3.6/6mm FIX | 2.8/3.6/6mm FIX | 2.7 - 13.5mm Motorized |
| Viewing Angle | 105°/85°/65° | 105°/85°/65° | 105°/85°/65° |
| IR Range | Up to 20m (EXIR) | Up to 40m (EXIR) | Up to 40m (EXIR) |
| Body Type | METAL | - | METAL |
| IP Standard | IP67 | IP67 | IP67 |
| OSD Menu | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) |
| WDR | NO | NO | NO |
| Power Supply | 12 VDC | 12 VDC | 12 VDC |
| Other Features | 2D DNR | 2D DNR | 2D DNR |

50

51

52

53

54

55

Click for More
information

DS-2CC52H1T-FITS

DS-2CE16H1T-IT

DS-2CE16H1T-ITE

DS-2CE16H1T-IT3

DS-2CE16H1T-IT1E

DS-2CE16H1T-IT3E



Price (Rials)

۲۴,۵۷۰,۰۰۰

Call:88512912

۷,۱۷۰,۰۰۰

۱۰,۵۸۰,۰۰۰

۸,۱۹۰,۰۰۰

۸,۸۸۰,۰۰۰

Camera Type

Fisheye

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

1.1mm

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

Viewing Angle

180° panoramic view

105°/85°/65°

105°/85°/65°

105°/85°/65°

105°/85°/65°

105°/85°/65°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal

Metal

Metal

Metal

Metal

IP Standard

-

IP66

IP66

IP66

IP66

IP66

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

WDR

NO

NO

NO

NO

NO

NO

Power Supply

12 VDC

12 VDC

12 VDC/built-in PoC

12 VDC

12 VDC/built-in PoC

12 VDC/built-in PoC

Other Features

Built-in Mic, Smart IR,
ICR

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR

56

57

58

59

60

Click for More
information

DS-2CE16H1T-IT5E

DS-2CE16H1T-IT3ZE

DS-2CE16H0T-IT1F

DS-2CE16H0T-IT3ZF

DS-2CE16H0T-IT5F



| | | | | | |
|-------------------|----------------------------|-----------------------------|-------------------------|-------------------------------|----------------------------|
| Price (Rials) | ۹,۵۶۰,۰۰۰ | ۱۴,۳۴۰,۰۰۰ | ۷,۱۷۰,۰۰۰ | ۱۲,۹۷۰,۰۰۰ | ۸,۳۷۰,۰۰۰ |
| Camera Type | Bullet | Bullet | Dome | Dome | Bullet |
| Imaging Sensor | 5MP Prog. CMOS | 5MP Prog. CMOS | 5MP Prog. CMOS | 5MP Prog. CMOS | 5MP Prog. CMOS |
| Resolution | 5MP (2592*1944) | 5MP (2592*1944) | 5MP (2592*1944) | 5MP (2592*1944) | 5MP (2592*1944) |
| Signal System | HD-TVI | HD-TVI | HD-TVI | HD-TVI | HD-TVI |
| Min. Illustration | 0.01 Lux/F1.2 | 0.01 Lux/F1.2 | 0.01 Lux/F1.2 | 0.01 Lux/F1.2 | 0.01 Lux/F1.2 |
| Lens | 2.8/3.6/6mm FIX | 2.8 - 12mm Motorized | 2.8/3.6/6mm FIX | 2.7 - 13.5mm Motorized | 3.6/6/8/12/16Fix |
| Viewing Angle | 105°/85°/65° | 105°/85°/65° | 105°/85°/65° | 105°/85°/65° | 105°/85°/65° |
| IR Range | Up to 80m (EXIR) | Up to 40m (EXIR) | Up to 40m (EXIR) | Up to 40m (EXIR) | Up to 80m (EXIR) |
| Body Type | Metal | Metal | METAL | - | METAL |
| IP Standard | IP66 | IP66 | IP67 | IP67 | IP67 |
| OSD Menu | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) | Yes (on Coax) |
| WDR | NO | NO | NO | NO | NO |
| Power Supply | 12 VDC/built-in PoC | 12 VDC/built-in PoC | 12 VDC | 12 VDC | 12 VDC/built-in PoC |
| Other Features | Smart IR, ICR | Smart IR, ICR | 2D DNR | 2D DNR | 2D DNR |

61

62

Click for More
information

DS-2CE78U8T-IT3

DS-2CE18U8T-IT3



| | | |
|-------------------|-------------------------|-------------------------|
| Price (Rials) | ۱۹,۴۶۰,۰۰۰ | ۲۰,۴۸۰,۰۰۰ |
| Camera Type | Bullet | Bullet |
| Imaging Sensor | 8MP Prog. CMOS | 8MP Prog. CMOS |
| Resolution | 8MP (2592*1944) | 8MP (2592*1944) |
| Signal System | HD-TVI | HD-TVI |
| Min. Illustration | 0.01 Lux/F1.2 | 0.01 Lux/F1.2 |
| Lens | 2.8/3.6/6mm FIX | 2.8/3.6/6mm FIX |
| Viewing Angle | 105°/85°/65° | 105°/85°/65° |
| IR Range | Up to 60m (EXIR) | Up to 60m (EXIR) |
| Body Type | - | - |
| IP Standard | IP67 | IP67 |
| OSD Menu | NO | NO |
| WDR | 120db WDR | 120db WDR |
| Power Supply | 12 VD/ | 12 VD/ |
| Other Features | Smart IR, ICR | Smart IR, ICR |

PTZ Cameras

برای کنترل موجودی در لیست با
شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

63

64

65

66

67

Click for More
information

DS-2AE4223T-A

DS-2AE4123TI-D

DS-2AE4223TI-D

DS-2AE5223TI-A

DS-2AE7230TI-A



Price (Rials)

Call:88512912

Call:88512912

Call:88512912

۹۸,۱۳۰,۰۰۰

۱۲۵,۶۰۰,۰۰۰

Camera Type

PTZ

PTZ

PTZ

PTZ

PTZ

Imaging Sensor

1.3MP Prog. CMOS

1.3MP Prog. CMOS

2MP Prog. CMOS

1.3MP Prog. CMOS

1/2.8" CMOS

Resolution

HD720P

HD720P

HD1080P

1920x1080

1920x1080

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.05Lux/F1.6

0.05Lux/F1.6

0.05Lux/F1.6

0.005lux/F1.4

0.02lux/F1.6

Lens

4-92mm Motorized

4-92mm Motorized

4-92mm Motorized

4-92mm Motorized

4-120mm Motorized

Optical Zoom

23x**23x****23x****23x****30x**

IR Range

-

100m**100m****150m****120m**

Body Type

Metal**Metal****Metal****Metal****Metal**

IP Standard

IP66

IP66

IP66

IP66

IP66

OSD Menu

Yes (on Coax)**Yes (on Coax)****Yes (on Coax)****Yes (on Coax)****Yes (on Coax)**

WDR

No

No

No

No

No

Power Supply

24v AC

24v AC

24v AC

24v AC

24v AC

Other Features

16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC

720p/1080p DVRs

برای کنترل موجودی در لیست با

شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

68

69

70

71

72

Click for More
information

DS-7204HQHI-K1

DS-7208HQHI-K1

DS-7208HQHI-K2

DS-7216HQHI-K1

DS-7216HQHI-K2



| Price (Rials) | ۱۱,۶۸۰,۰۰۰ | ۱۷,۵۲۰,۰۰۰ | Call:88512912 | ۳۲,۵۲۰,۰۰۰ | Call:88512912 |
|---------------------------|---|---|---|---|---|
| DVR Type | 4+1 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP | 8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 16+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP | 16+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP |
| Analog Video Input | 4 Ch. HDTV/Analog Up to 3MP AHD Up to 2MP | 8 Ch. HDTV/Analog Up to 3MP AHD Up to 2MP | 8 Ch. HDTV/Analog Up to 3MP AHD Up to 2MP | 16 Ch. HDTV/Analog Up to 3MP AHD Up to 2MP | 16 Ch. HDTV/Analog Up to 3MP AHD Up to 2MP |
| IP Video Input | 1 Ch. Up to 4MP | 2 Ch. Up to 4MP | 2 Ch. Up to 4MP | 2 Ch. Up to 4MP | 2 Ch. Up to 4MP |
| Audio Input/Output | 1Ch. In / 1Ch. Out | 1Ch. In / 1Ch. Out | 1Ch. In / 1Ch. Out | 1Ch. In / 1Ch. Out | 1Ch. In / 1Ch. Out |
| Recording | 1920x1080P: 12FPS 1280x720P: 25 FPS FPSWD1,D1,CIF: 25 FPS | 1920x1080P: 12FPS 1280x720P: 25 FPS FPSWD1,D1,CIF: 25 FPS | 1920x1080P: 12FPS 1280x720P: 25 FPS FPSWD1,D1,CIF: 25 FPS | 1920x1080P: 12FPS 1280x720P: 25 FPS FPSWD1,D1,CIF: 25 FPS | 1920x1080P: 12FPS 1280x720P: 25 FPS FPSWD1,D1,CIF: 25 FPS |
| Video Output | 1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1 | 1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1 | 1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1 | 1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1 | 1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1 |
| SATA Interface | 1 HDD up to 6TB | 1 HDD up to 6TB | 2 HDD up to 6TB | 1 HDD up to 6TB | 2 HDD up to 6TB |
| Network Interface | 1 RJ45 100M | 1 RJ45 1000M | 1 RJ45 1000M | 1 RJ45 100M | 1 RJ45 100M |
| Chassis | Standalone 1U | Standalone 1U | Standalone 1U | Standalone 1U | Standalone 1U |
| Other Features | H.265/H.265+ Compression 4K UHD output | H.265/H.265+ Compression 4K UHD output | H.265/H.265+ Compression 4K UHD output | H.265/H.265+ Compression 4K UHD output | H.265/H.265+ Compression 4K UHD output |

720p/1080p/3MP/5MP DVRs

برای کنترل موجودی در لیست با

شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

73

74

75

76

77

78

Click for More
information

DS-7204HUHI-K1

DS-7208HUHI-K1

DS-7208HUHI-K2

DS-7216HUHI-K2

DS-7204HUHI-K1/P

DS-7208HUHI-K2/P



Asan Tejarat



| Price (Rials) | ۱۷,۶۹۰,۰۰۰ | ۲۶,۸۹۰,۰۰۰ | Call:88512912 | ۵۳,۷۷۰,۰۰۰ | ۲۰,۵۲۰,۰۰۰ | ۳۷,۸۶۰,۰۰۰ |
|---------------------------|---|---|---|---|---|---|
| DVR Type | 4 +1 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 16 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 4 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP |
| Analog Video Input | 4 Ch. HDTV/Analog Up to 5MP AHD Up to 2MP | 4 Ch. HDTV/Analog Up to 5MP AHD Up to 2MP | 8 Ch. HDTV/Analog Up to 5MP AHD Up to 2MP | 16 Ch. HDTV/Analog Up to 5MP AHD Up to 2MP | 4 Ch. HDTV/Analog Up to 3MP AHD Up to 1MP | 8 Ch. HDTV/Analog Up to 5MP AHD Up to 1MP |
| IP Video Input | 2 Ch. Up to 5MP | 2 Ch. Up to 5MP | 2 Ch. Up to 5MP | 2 Ch. Up to 5MP | 2 Ch. Up to 5MP | 2 Ch. Up to 5MP |
| Audio Input/Output | 4Ch. In / 4Ch. Out | 8Ch. In / 1Ch. Out | 4Ch. In / 2Ch. Out | 4Ch. In / 2Ch. Out | 4Ch. In / 4Ch. Out | 4Ch. In / 4Ch. Out |
| Recording | 3MP: 15FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS | 3MP: 15FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS | 3MP: 15FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS | 3MP: 15FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS | 3MP: 15FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS | 3MP: 15FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS |
| Video Output | 1 Port HDMI : 1080P 1 Port VGA : 1080P CVBS: PAL | 1 Port HDMI : 4K 1 Port VGA : 1080P CVBS: PAL | 1 Port HDMI : 4K 1 Port VGA : 1080P CVBS: PAL | 1 Port HDMI : 4K 1 Port VGA : 1080P CVBS: PAL | 1 Port HDMI : 1080P 1 Port VGA : 1080P CVBS: PAL | 1 Port HDMI : 4K 1 Port VGA : 1080P CVBS: PAL |
| SATA Interface | 1 HDD up to 6TB | 1 HDD up to 6TB | 2 HDD up to 6TB | 2 HDD up to 6TB | 1 HDD up to 6TB | 2 HDD up to 6TB |
| Network Interface | 1 RJ45 100M | 1 RJ45 1000M | 1 RJ45 1000M | 1 RJ45 1000M | 1 RJ45 100M | 1 RJ45 1000M |
| Chassis | Standalone 1U | Standalone 1U | Standalone 1U | Standalone 1U | Standalone 1U | Standalone 1U |
| Other Features | H.265/H.265+ COMPR Alarm In/Out : 4/1 | H.265/H.265+ COMPR Alarm In/Out : 8/4 4K UHD output | H.264 COMPR Alarm In/Out : 8/4 | 1xE-SATA interface H.264 COMPR Alarm In/Out : 16/4 | H.265/H.265+ COMPR Alarm In/Out : 4/1 Built-in PoC | H.265/H.265+ COMPR Alarm In/Out : 8/4 Built-in PoC |

8MP DVRs

برای کنترل موجودی در لیست با

شماره های زیر تماس بگیرید:

021-88769732

021-88171031

021-88512942

79

80

Click for More
information

DS-7204HTHI-K1

DS-7208HTHI-K2



Asan Tejarat



| | | |
|---------------------------|---|---|
| Price (Rials) | ۲۵,۴۷۰,۰۰۰ | ۴۹,۵۲۰,۰۰۰ |
| DVR Type | 4 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP | 8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP |
| Analog Video Input | 4 Ch. HDTV/Analog Up to 8MP AHD Up to 5MP | 8 Ch. HDTV/Analog Up to 8MP AHD Up to 5MP |
| IP Video Input | 2 Ch. Up to 8MP | 4 Ch. Up to 8MP |
| Audio Input/Output | 4Ch. In / 1Ch. Out | 4Ch. In / 1Ch. Out |
| Recording | 8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS | 8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS |
| Video Output | 1 Port HDMI : 4k 1 Port VGA : 1920P CVBS: PAL | 1 Port HDMI : 4k 1 Port VGA : 1920P CVBS: PAL |
| SATA Interface | 1 HDD up to 8TB | 2 HDD up to 8TB |
| Network Interface | 1 RJ45 100M | 1 RJ45 100M |
| Chassis | Standalone 1U | Standalone 1U |
| Other Features | H.265/H.265+ COMPR Alarm In/Out : 4/1 | H.265/H.265+ COMPR Alarm In/Out : 4/1 |

