

HIKVISION

لیست قیمت رسمی شهریور ۱۳۹۸

درباره هایک ویژن

شرکت هایک ویژن (Hikvision) یک شرکت چینی فعال در زمینه تولید تجهیزات مداربسته است. این شرکت کار خود را در سال 2001 در شهر هانگژو آغاز کرد و مسیر پیشرفت را با سرعتی بالا طی کرد بطوری که در سال 2014 به عنوان سومین تولید کننده بزرگ تجهیزات حفاظتی-امنیتی و اولین تولید کننده تجهیزات مداربسته در جهان شناخته شد. شرکت هایک ویژن در سال 2013 بیش از 13000 نفر را به صورت مستقیم به اشتغال در آورده که با داشتن تیم تحقیق و توسعه ای 4000 نفری دارای بزرگترین تیم تحقیق و توسعه جهان محسوب می شود. این شرکت دارای 30 نماینده محلی در چین و بیش از 16 نماینده بین المللی در جهان است که تجهیزات این شرکت را به طور فعال توزیع می کنند.

تارتن دژ آریانا

نمایندگی پخش محصولات هایک ویژن



افتخارات هایک ویژن

سومین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال 2014 و 2015
اولین تولید کننده دوربین مداربسته و تجهیزات نظارت تصویری در سال 2015
تولید بیشتر از 20% از کل دستگاه های DVR دنیا برنده جایزه ملی ZUBR روسیه در سال ۲۰۱۳
برنده جایزه طراحی محصول RED DOT در سال ۲۰۱۲
برنده جایزه طراحی بهترین دوربین IP در Secutech در سال ۲۰۱۲
برنده جایزه "Golden Excellence Award" در CPSE سال ۲۰۱۱
برنده جایزه FSdays در سال ۲۰۱۰

1080p Entry-Level Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

	1	2	3	4	5	6
Click for More information	DS-2CE56D0T-IRMM	DS-2CE56D0T-IR	DS-2CE56D0T-IRM	DS-2CE56D0T-IT1	DS-2CE56D0T-IT3	DS-2CE56D0T-IT1E



Price (Rials)	۳,۹۳۰,۰۰۰	۴,۳۵۰,۰۰۰	۴,۵۵۰,۰۰۰	۵,۰۹۰,۰۰۰	۵,۸۴۰,۰۰۰	۶,۹۹۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01Lux/F1.2	0.1Lux/F1.2	0.1Lux/F1.2	0.01Lux/F1.2	0.1Lux/F1.2	0.01Lux/F1.2
Lens	2.8mm Fix	2.8mm Fix	3.6mm/6mm Fix	2.8mm Fix	2.8mm Fix	2.8/3.6/6mm Fix
Viewing Angle	105°	105°	79.6°/ 51.9°	105°	105°	105°/85°/65°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)
Body Type	Plastic	Metal & Plastic	Metal	Plastic	Plastic	Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP67
OSD Menu	No	No	No	No	No	Yes
WDR	DWDR	No	DWDR	DWDR	DWDR	-
Power Supply	12V DC	12V DC	12V DC	12V DC	12V DC	12 VDC/built-in PoC
Other Features	Smart IR, 3D DNR, ICR, AGC,BLC	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR, AGC, BLC

7

8

9

10

11

12

Click for More
information

DS-2CE56D0T-IT3E

DS-2CE56D8T-ITM

DS-2CE56D8T-ITME

DS-2CE56D8T-IT1

DS-2CE56D8T-IT1E

DS-2CE72DFT-F



Price (Rials)

۷,۴۵۰,۰۰۰

Call:88500020

۹,۰۲۰,۰۰۰

Call:88500020

۹,۴۸۰,۰۰۰

Call:88500020

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

2MP Prog. CMOS

2MP Prog. CMOS

2M Smart FSI CMOS

2MP Prog. CMOS

2M Smart FSI CMOS

2MP Prog. CMOS

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.005 Lux/F1.2

0.003 Lux/F1.2

0.005 Lux/F1.2

0.003 Lux/F1.2

0.0005Lux/F1

Lens

2.8/3.6/6mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

3.6mm/6mm Fix

Viewing Angle

105°/85°/65°

105°/85°/65°

105°

105°/85°/65°

105°

91°/62°

IR Range

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 30m (EXIR)

Up to 20m (EXIR)

Up to 30m (EXIR)

Up to 20m white light distance

Body Type

Plastic

Metal

Metal

Metal

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP66

IP67

IP66

IP67

IP67

OSD Menu

Yes

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

WDR

-

Yes (120db)

Yes (130db)

Yes (120db)

Yes (130db)

Yes (120db)

Power Supply

12 VDC/built-in PoC

12V DC

12 VDC/built-in PoC

12V DC

12 VDC/built-in PoC

12V DC

Other Features

Smart IR, 3D DNR, ICR,
AGC, BLC

Smart IR, 3D DNR, ICR

Smart IR, 3D DNR, HLC,
AGC, BLC, ICR

Smart IR, 3D DNR, ICR

Smart IR, 3D DNR, HLC,
BLC, ICRFull time color/4 in 1
video output/3D DNR

13

14

15

16

17

18

Click for More
information

DS-2CE56D1T-VFIR3

DS-2CE56D0T-VFIR3E

DS-2CE16D0T-IR

DS-2CE16D0T-IRE

DS-2CE16D0T-IT1

DS-2CE16D0T-IT3



Price (Rials)

11,010,000

11,280,000

2,555,000

5,870,000

5,590,000

6,130,000

Camera Type

Dome

Dome

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.1Lux/F1.2

0.1Lux/F1.2

0.01Lux/F1.2

Lens

2.8 - 12mm Vari-Focal

2.8 - 12mm Vari-Focal

2.8 mm Fix

3.6mm/6mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105° - 32°

105° - 32°

105°

91°/62°

105°

105°

IR Range

Up to 40m

Up to 40m

Up to 20m

Up to 20m

Up to 20m (EXIR)

Up to 40m (EXIR)

Body Type

Metal & Plastic

Metal & Plastic

Metal

Metal

Metal & Plastic

Metal & Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

Yes (on Coax)

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

-

DWDR

DWDR

Power Supply

12V DC

12 VDC/built-in PoC

12V DC

12 VDC/built-in PoC

12V DC

12V DC

Other Features

Smart IR, 3D DNR, ICR, AGC, BLC

True day/night, BLC, DNR, Smart IR, AGC

Smart IR, 3D DNR, AGC, BLC, ICR

Smart IR, 3D DNR, AGC, BLC, ICR

Smart IR, 3D DNR, ICR, AGC, BLC

Smart IR, 3D DNR, ICR, AGC, BLC

19

20

21

22

23

Click for More
information

DS-2CE16D0T-IT5

DS-2CE16D0T-IT1E

DS-2CE16D1T-VFIR3

DS-2CE16D0T-VFIR3E

DS-2CE38D8T-PIR



Price (Rials)

٦,٨٣٠,٠٠٠

٦,٩٩٠,٠٠٠

Call:88500020

١١,٢٨٠,٠٠٠

٩,٠٢٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Cube

Imaging Sensor

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.1Lux/F1.2

0.1Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8mm Fix

2.8/3.6/6mm Fix

2.8 - 12mm Vari-Focal

2.8 - 12mm Vari-Focal

2.8/3.6mm Fix

Viewing Angle

105°

105°/85°/65°

105° - 32°

105° - 32°

103° - 80°

IR Range

Up to 80m (EXIR)

Up to 20m

Up to 40m

Up to 40m

Up to 20m (EXIR)

Body Type

Metal & Plastic

Metal

Metal

Metal & Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP66

-

OSD Menu

No

No

Yes (on Coax)

No

No

WDR

DWDR

-

No

DWDR

WDR

Power Supply

12V DC

12 VDC/built-in PoC

12V DC

12 VDC/built-in PoC

12 VDC

Other Features

Smart IR, 3D DNR, ICR,
AGC, BLCSmart IR, 3D DNR, AGC,
BLC, ICR

Smart IR, 3D DNR, ICR

True day/night, AGC,
BLC

PIR, Built in Mic

24

25

26

27

28

29

Click for More
information

DS-2CE16D8T-ITE

DS-2CE16D8T-IT3E

DS-2CE10DFT-F

DS-2CE12DFT-F

DS-2CE16D0T-WL5

DS-2CE16D8T-IT3ZE



Price (Rials)

9,200,000

10,830,000

Call:88500020

Call:88500020

8,900,000

18,490,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2M Smart FSI CMOS

2M Smart FSI CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.003 Lux/F1.2

0.003 Lux/F1.2

0.0005Lux/F1

0.0005Lux/F1

0.01Lux/F1.6

0.003Lux/F1.2

Lens

2.8mm Fix

2.8mm Fix

3.6mm/6mm Fix

3.6mm/6mm Fix

2.8mm Fix

9 - 13.5mm Vari-Focal

Viewing Angle

105°

105°

91°/62°

91°/62°

105°

103° - 32.1°

IR Range

Up to 30m (EXIR)

Up to 60m (EXIR)

Upto 20m white light

Upto 40m white light

50m White light

Up to 80m

Body Type

Metal

Metal

Metal

Metal & Plastic

Metal & Plastic

Metal

IP Standard

IP67

IP67

IP67

IP67

IP66

IP67

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

NO

No

WDR

Yes (130db)

Yes (130db)

Yes (120db)

Yes (120db)

NO

Yes (130db)

Power Supply

12 VDC/built-in PoC

12 VDC/built-in PoC

12V DC

12V DC

12V DC

12 VDC/built-in PoC

Other Features

Smart IR, 3D DNR, HLC,
BLC, ICRSmart IR, 3D DNR, HLC,
BLC, ICRFull time color/4 in 1
video output/3D DNRFull time color/4 in 1
video output/3D DNR

Day&Night(Color)

Smart IR

3Mp Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

30

31

32

33

34

Click for More
information

DS-2CE56F1T-ITM

DS-2CE56F1T-IT1

DS-2CE56F1T-IT3

DS-2CE56F1T-IT3Z

DS-2CE56F7T-IT3Z



Price (Rials)

٥,٣٣٠,٠٠٠

٥,٨٤٠,٠٠٠

٦,٥٥٠,٠٠٠

Call:88500020

٢٢,٥٥٠,٠٠٠

Camera Type

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

Resolution

3MP (2048*1536)

3MP (2048*1536)

3MP (2048*1536)

3MP (2048*1536)

3MP (2048*1536)

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8 - 12mm Motorized

2.8 - 12mm Motorized

Viewing Angle

105°

105°

105°

105° - 32°

105° - 32°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

Yes (on Coax)

WDR

No

No

No

No

Yes (120db)

Power Supply

12V DC

12V DC

12V DC

12V DC

12V DC

Other Features

Smart IR, 3D DNR, AGC,
BLC, ICRSmart IR, 3D DNR, AGC,
BLC, ICRSmart IR, 3D DNR, AGC,
BLC, ICR

Smart IR, 3D DNR, ICR

Smart IR, 3D DNR, AGC,
BLC, ICR

35

36

37

38

39

40

Click for More
information

DS-2CE16F1T-IT

DS-2CE16F1T-IT1

DS-2CE16F1T-IT3

DS-2CE16F1T-IT5

DS-2CE16F1T-IT3Z

DS-2CE16F7T-IT3Z



Price (Rials)

٥,٣٣٠,٠٠٠

٦,٠٢٠,٠٠٠

٦,٩١٠,٠٠٠

٧,٢٢٠,٠٠٠

Call:88500020

٢٢,٥٥٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

3MP Prog. CMOS

Resolution

3MP (2048*1536)

3MP (2048*1536)

3MP (2048*1536)

3MP (2048*1536)

3MP (2048*1536)

3MP (2048*1536)

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8 - 12mm Motorized

2.8 - 12mm Motorized

Viewing Angle

105°

105°

105°

105°

105° - 32°

105° - 32°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 80m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal

Metal & Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

Yes (on Coax)

WDR

No

No

No

No

No

Yes (120db)

Power Supply

12V DC

12V DC

12V DC

12V DC

12V DC

12V DC

Other Features

Smart IR, 3D DNR, AGC,
BLC, ICRSmart IR, 3D DNR, AGC,
BLC, ICRSmart IR, 3D DNR, AGC,
BLC, ICRSmart IR, 3D DNR, AGC,
BLC, ICR

Smart IR, 3D DNR, ICR

Smart IR, 3D DNR, AGC,
BLC, ICR

5Mp Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

41

42

43

44

45

46

Click for More
information

DS-2CE56H1T-IT1

DS-2CE56H1T-ITM

DS-2CE56H1T-ITME

DS-2CE56H1T-IT1E

DS-2CE56H1T-IT3E

DS-2CE56H1T-IT3ZE



Price (Rials)

Call:88500020

Call:88500020

۹,۴۸۰,۰۰۰

۱۰,۸۳۰,۰۰۰

۱۱,۷۳۰,۰۰۰

۱۸,۹۵۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

2.8mm FIX

2.8mm FIX

2.8mm FIX

2.8 - 12mm Motorized

Viewing Angle

105°/85°/65°

105°/85°/65°

105°

105°

105°

105° - 32°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal

Metal

Metal & Plastic

Metal

Metal

IP Standard

IP66

IP66

IP67

IP67

IP67

IP67

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

WDR

NO

NO

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC/built-in PoC

12 VDC/built-in PoC

12 VDC/built-in PoC

12 VDC/built-in PoC

Other Features

Smart IR, ICR

Smart IR, ICR

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

47

48

49

50

51

52

[Click for More information](#)

DS-2CE56H0T-ITMF

DS-2CE56H0T-IT1F

DS-2CE56H0T-IT3F

DS-2CE56H0T-IT3ZF

DS-2CE71H0T-PIRL

DS-2CE78U8T-IT3



Price (Rials)

٦,٩٩٠,٠٠٠

٧,٩٠٠,٠٠٠

٨,٥٧٠,٠٠٠

١٥,١١٠,٠٠٠

٧,٩٠٠,٠٠٠

٢٥,٧١٠,٠٠٠

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

8MP Prog. CMOS

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

8MP (3840*2160)

Signal System

HDTVI,AHD,HDCVI,ANLOG-HDTVI,AHD,HDCVI,ANLOG-HDTVI,AHD,HDCVI,ANLOG-HDTVI,AHD,HDCVI,ANLOG-HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.003 Lux/F1.2

Lens

2.8 mm Fix

2.8mm FIX

2.8mm FIX

2.7 - 13.5mm Motorized

2.8/3.6mm Fix

2.8mm FIX

Viewing Angle

105°

105°

105°

105° - 32°

103° - 80°

105°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 60m (EXIR)

Body Type

Metal

Metal & Plastic

Metal & Plastic

Metal

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

NO

NO

WDR

DWDR

DWDR

DWDR

DWDR

No

120db WDR

Power Supply

12 VDC/built-in PoC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

2D DNR, DWDR,4 in 1 video output

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

PIR, Visual Alarm

Smart IR, ICR

53

54

55

56

57

58

Click for More
information

DS-2CC52H1T-FITS

DS-2CE16H1T-IT

DS-2CE16H1T-ITE

DS-2CE16H1T-IT3

DS-2CE16H1T-IT1E

DS-2CE16H1T-IT3E



Price (Rials)

۳۲,۴۷۰,۰۰۰

Call:88500020

۹,۴۸۰,۰۰۰

Call:88500020

۱۰,۸۳۰,۰۰۰

۱۱,۷۳۰,۰۰۰

Camera Type

Fisheye

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

1.1mm

2.8/3.6/6mm FIX

2.8mm FIX

2.8/3.6/6mm FIX

2.8mm FIX

2.8mm FIX

Viewing Angle

180° panoramic view

105°/85°/65°

105°

105°/85°/65°

105°

105°

IR Range

Up to 20m

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Body Type

Plastic

Metal

Metal

Metal

Metal & Plastic

Metal & Plastic

IP Standard

-

IP66

IP67

IP66

IP67

IP67

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

WDR

DWDR

NO

DWDR

NO

NO

NO

Power Supply

12 VDC

12 VDC

12 VDC/built-in PoC

12 VDC

12 VDC/built-in PoC

12 VDC/built-in PoC

Other Features

Built-in Mic, Smart IR,
1ch audio input

Smart IR, ICR

Smart IR, ICR, AGC, BLC

Smart IR, ICR

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

59

60

61

62

63

64

Click for More
information

DS-2CE16H1T-IT5E

DS-2CE16H1T-IT3ZE

DS-2CE16H0T-ITF

DS-2CE16H0T-IT1F

DS-2CE16H0T-IT3F

DS-2CE16H0T-IT3ZF



Price (Rials)

۱۲,۶۳۰,۰۰۰

۱۸,۹۵۰,۰۰۰

۷,۴۵۰,۰۰۰

۸,۱۲۰,۰۰۰

۹,۰۲۰,۰۰۰

۱۵,۵۶۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Dome

Bullet

Dome

Imaging Sensor

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

5MP Prog. CMOS

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

Signal System

HD-TVI

HD-TVI

HDTVI,AHD,HDCVI,ANLOGHDTVI,AHD,HDCVI,ANLOGHDTVI,AHD,HDCVI,ANLOGHDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01Lux/F1

0.01 Lux/F1.2

0.01Lux/F1.2

0.01 Lux/F1.2

Lens

3.6mm FIX

2.8 - 12mm Motorized

2.8/3.6/6mm Fix

2.8mm FIX

2.8mm Fix

2.7 - 13.5mm Motorized

Viewing Angle

85°

105° - 32°

105°/85°/65°

105°

105°

105° - 32°

IR Range

Up to 80m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal & Plastic

Metal & Plastic

Metal

Metal & Plastic

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

WDR

NO

DWDR

No

NO

NO

DWDR

Power Supply

12 VDC/built-in PoC

12 VDC/built-in PoC

12V DC

12V DC

12V DC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

2D DNR, DWDR

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

65

66

67

68

Click for More
information

DS-2CE16H0T-IT5F

DS-2CE12H0T-PIRL

DS-2CE11H0T-PIRL

DS-2CE18U8T-IT3



Price (Rials)	۹,۷۰۰,۰۰۰	۸,۵۷۰,۰۰۰	۷,۹۰۰,۰۰۰	۲۷,۰۶۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	8MP Prog. CMOS
Resolution	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)	8MP (3840*2160)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2
Lens	3.6mmFix	2.8/3.6mm FIX	2.8/3.6mm FIX	2.8/3.6/6mm FIX
Viewing Angle	85°	105°/85°	105°/85°	105°/85°/65°
IR Range	Up to 80m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 60m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic	Metal	Metal & Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes (on Coax)	NO	NO	NO
WDR	NO	NO	NO	120db WDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, ICR, AGC, BLC	Smart IR, ICR, AGC, BLC, PIR	Smart IR, ICR, AGC, BLC, PIR	Smart IR, ICR, AGC, BLC

PTZ Cameras

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

69

70

71

72

73

Click for More
information

DS-2AE4223T-A

DS-2AE4123TI-D

DS-2AE4223TI-D

DS-2AE5223TI-A

DS-2AE7230TI-A



Price (Rials)

Call:88500020

Call:88500020

Call:88500020

۷۶,۴۰۰,۰۰۰

۹۷,۷۹۰,۰۰۰

Camera Type

PTZ

PTZ

PTZ

PTZ

PTZ

Imaging Sensor

1.3MP Prog. CMOS

1.3MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

2MP Prog. CMOS

Resolution

HD720P

HD720P

HD1080P

1920x1080

1920x1080

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.05Lux/F1.6

0.05Lux/F1.6

0.05Lux/F1.6

0.005lux/F1.4

0.02lux/F1.6

Lens

4-92mm Motorized

4-92mm Motorized

4-92mm Motorized

4-92mm Motorized

4-120mm Motorized

Viewing Angle

23x

23x

23x

23x

30x

IR Range

-

100m

100m

150m

120m

Body Type

Metal

Metal

Metal

Metal

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

OSD Menu

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

Yes (on Coax)

WDR

No

No

No

DWDR

No

Power Supply

24v AC

24v AC

24v AC

24v AC

24v AC

Other Features

16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC16x Digital Zoom, Auto
Focus, 3D DNR, ICR, BLC

720p/1080p DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

74

75

76

77

78

79

Click for More
information

DS-7204HQHI-K1

DS-7208HQHI-K1

DS-7208HQHI-K2

DS-7216HQHI-K1

DS-7216HQHI-K2

DS-7224HQHI-K2



Price (Rials)

۱۴,۶۷۰,۰۰۰

۲۰,۷۸۰,۰۰۰

Call:88500020

۳۷,۹۵۰,۰۰۰

Call:88500020

Call:88500020

DVR Type

4+1 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP

8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP

8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP

16+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP

16+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP

Ch. quadruple HybridHD-TVI /AHD/ Analog / IP

Analog Video Input

4 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 3MP
AHD Up to 2MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 3MP
AHD Up to 2MP24 Ch. HDTV/Analog
Up to 4MP
AHD Up to 4MP

IP Video Input

1 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 4MP

2 Ch. Up to 6MP

2 Ch. Up to 4MP

2 Ch. Up to 4MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

1920x1080P: 15FPS
1280x720P: 25 FPS1920x1080P: 15FPS
1280x720P: 25 FPS1920x1080P: 15FPS
1280x720P: 25 FPS1920x1080P: 15FPS
1280x720P: 25 FPS1920x1080P: 15FPS
1280x720P: 25 FPS1920x1080P: 15FPS
1280x720P: 25 FPS

Video Output

FPSWD1,D1,CIF: 25 FPS
1 Port HDMI 1080PFPSWD1,D1,CIF: 25 FPS
1 Port HDMI 1080PFPSWD1,D1,CIF: 25 FPS
1 Port HDMI : 1080PFPSWD1,D1,CIF: 25 FPS
1 Port HDMI : 4KFPSWD1,D1,CIF: 25 FPS
1 Port HDMI : 1080PFPSWD1,D1,CIF: 25 FPS
1 Port HDMI : 1080P1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA, 1Ch. CVBS1 Port VGA : 1080P
1Ch. CVBS: WD1Port VGA 1Ch.
CVBS1 Port VGA : 1080P
1Ch. CVBS: WD11 Port VGA : 1080P
1Ch. CVBS: WD1

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 6TB

1 HDD up to 10TB

2 HDD up to 6TB

2 HDD up to 8TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 100M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression
4K UHD outputH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression
4K UHD outputH.265/H.265+
Compression
4K UHD output

80

Click for More
information

DS-7232HQHI-K2



Price (Rials)

Call:88500020

DVR Type

Ch. quadruple HybridHD-TVI
/AHD/ Analog / IP

Analog Video Input

32 Ch. HDTV/Analog
Up to 4MP
AHD Up to 4MP

IP Video Input

2 Ch. Up to 4MP

Audio Input/Output

1Ch. In / 1Ch. Out

Recording

1920x1080P: 15FPS
1280x720P: 25 FPS
FPSWD1,D1,CIF: 25 FPS

Video Output

1 Port HDMI : 1080P
1 Port VGA : 1080P
1Ch. CVBS: WD1

SATA Interface

2 HDD up to 8TB

Network Interface

1 RJ45 100M

Chassis

Standalone 1U

Other Features

H.265/H.265+
Compression
4K UHD output

720p/1080p/3MP/5MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

81

82

83

84

85

86

Click for More
information

DS-7204HUHI-K1

DS-7208HUHI-K1

DS-7208HUHI-K2

DS-7216HUHI-K2

DS-7204HUHI-K1/P

DS-7208HUHI-K2/P



Price (Rials)

۲۲,۱۲۰,۰۰۰

۳۳,۷۶۰,۰۰۰

Call:88500020

۶۷,۲۹۰,۰۰۰

۲۷,۰۱۰,۰۰۰

۴۹,۳۶۰,۰۰۰

DVR Type

4 +1 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16 + 2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 + 2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 5MP resolution
recording8 Ch. HDTV/Analog
Up to 8MP8 Ch. HDTV/Analog
Up to 5MP
AHD Up to 2MPSupport
Up to 8MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording

IP Video Input

2 Ch. Up to 8MP

4 Ch. Up to 8MP

4 Ch. Up to 5MP

8 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 2Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

3MP: 18FPS/5MP: 12FPS
1920x1080P : 25FPS
1280x720P : 25 FPS3MP: 18FPS/5MP: 12FPS
1920x1080P : 25FPS
1280x720P : 25 FPS3MP: 18FPS/5MP: 12FPS
1920x1080P : 25FPS
1280x720P : 25 FPS3MP: 18FPS/5MP: 12FPS
1920x1080P : 25FPS
1280x720P : 25 FPS3MP: 18FPS/5MP: 12FPS
1920x1080P : 25FPS
1280x720P : 25 FPS3MP: 18FPS/5MP: 12FPS
1920x1080P : 25FPS
1280x720P : 25 FPS

Video Output

1 Port HDMI 1080P,
1 Port VGA1 Port HDMI : 4K
1 Port VGA
CVBS1 Port HDMI : 4K
1 Port VGA : 1080P
CVBS: PAL1 Port HDMI : 4K
1 Port VGA
CVBS1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA : 1080P
CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 6TB

2 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 100M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 8/4
Onvif, VCAH.264 COMPR
Alarm In/Out : 8/41xE-SATA interface
H.265/H.265+ COMPR
Alarm In/Out : 16/4H.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : 8/4
Built-in PoC

8MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

87

88

Click for More
information

DS-7204HTHI-K1

DS-7208HTHI-K2



Price (Rials)	۳۳,۵۳۰,۰۰۰	۶۵,۱۹۰,۰۰۰
DVR Type	4 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording
IP Video Input	2 Ch. Up to 8MP	4 Ch. Up to 8MP
Audio Input/Output	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out
Recording	8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS
Video Output	1 Port HDMI : 4K 1 Port VGA CVBS	1 Port HDMI : 4K 1 Port VGA CVBS
SATA Interface	1 HDD up to 8TB	2 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U
Other Features	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA