

# HIKVISION

## لیست قیمت رسمی نیمه دوم مهر ۱۳۹۹

### درباره هایک ویژن

شرکت هایک ویژن (Hikvision) یک شرکت چینی فعال در زمینه تولید تجهیزات مداربسته است. این شرکت کار خود را در سال 2001 در شهر هانگ ژو آغاز کرد و مسیر پیشرفت را با سرعتی بالا طی کرد به طوری که در سال 2014 به عنوان سومین تولید کننده بزرگ تجهیزات حفاظتی - امنیتی و اولین تولید کننده تجهیزات مداربسته در جهان شناخته شد.

شرکت هایک ویژن در سال 2013 بیش از 13000 نفر را به صورت مستقیم به اشتغال در آورده که با داشتن تیم تحقیق و توسعه ای 4000 نفری دارای بزرگترین تیم تحقیق و توسعه جهان محسوب می شود. این شرکت دارای 30 نماینده محلی در چین و بیش از 16 نماینده بین المللی در جهان است که تجهیزات این شرکت را به طور فعال توزیع می کنند.

### افتخارات هایک ویژن

سومین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال 2014 و 2015  
اولین تولید کننده دوربین مداربسته و تجهیزات نظارت تصویری در سال 2015  
تولید بیشتر از 20% از کل دستگاه های DVR دنیا  
برنده جایزه ملی ZUBR روسیه در سال ۲۰۱۳  
برنده جایزه طراحی محصول RED DOT در سال ۲۰۱۲  
برنده جایزه طراحی بهترین دوربین IP در Secutech در سال ۲۰۱۲  
برنده جایزه "Golden Excellence Award" در CPSE سال ۲۰۱۱  
برنده جایزه FSdays در سال ۲۰۱۰

قارتنی دژ آریانا

نماینده گی بخش محصولات هایک ویژن



برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

1

2

3

4

5

6

Click for More  
information

DS-2CD1023G0E-I

DS-2CD1023G0-I

DS-2CD1023G0-IU

DS-2CD1043G0E-I

DS-2CD1043G0-I

DS-2CD1123G0E-I



Price (Rials)

۲۳,۳۲۰,۰۰۰

۲۴,۱۷۰,۰۰۰

۲۵,۱۹۰,۰۰۰

۲۸,۸۴۰,۰۰۰

۳۳,۰۸۰,۰۰۰

۲۵,۰۲۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Dome

Imaging Sensor

1/2.8" Prog. CMOS

1/2.8" Prog. CMOS

1/2.8" Prog. CMOS

1/3" Prog. CMOS

1/3" Prog. CMOS

1/2.8" Prog. CMOS

Resolution

2MP(1920x1080/30FPS)

2MP(1920x1080/30FPS)

2MP(1920x1080/30FPS)

4MP(2560x1440/20fps)

4MP(2560x1440/20fps)

2MP(1920x1080/30FPS)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.028Lux @ F2

0.028Lux @ F2

0.01Lux @ F1.2

Lens

2.8, 4mmFix

2.8mm Fix

2.8/4 mm Fix

2.8mmFix

2.8mmFix

2.8/4mm Fix

Viewing Angle

98.5°

98.5°

98.5°

98.5°

98.5°

98.5°

IR Range

Up to 30m

Up to 30m

Up to 30m

Up to 30m (EXIR)

Up to 30m (EXIR)

Up to 30m

Body Type &amp; Standard

Plastic / IP67

Plastic / IP67

Plastic / IP66

Plastic / IP67

Plastic / IP67

Metal / IP67

SD Card Support

No

No

No

No

No

No

Microphone Support

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

WIFI

No

No

No

No

No

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Other Features

3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR

3D DNR, BLC, H.265+ COMP

7

8

9

10

11

12

Click for More  
information

DS-2CD1123G0-I

DS-2CD1143G0-I

DS-2CD2023G0-I

DS-2CD2043G0-I

DS-2CD2063G0-I

DS-2CD2083G0-I



Price (Rials)

۲۵,۸۷۰,۰۰۰

۳۴,۷۷۰,۰۰۰

۳۷,۷۴۰,۰۰۰

۴۳,۱۰۰,۰۰۰

Call:88500020

۵۶,۸۲۰,۰۰۰

Camera Type

Dome

Dome

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

1/2.8" Prog. CMOS

1/3" Prog. CMOS

1/2.8" Prog. CMOS

1/3" Prog. CMOS

1/2.9" Prog. CMOS

1/2.5" Prog. CMOS

Resolution

2MP(1920x1080/25FPS)

4MP(2560x1440/20fps)

2MP(1920x1080/30FPS)

4MP(2560x1440/30fps)

6MP(3072x2048/20fps)

8MP(3840x2160/15fps)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.01Lux @ F2

0.028Lux @ F2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.028Lux @ F2

Lens

2.8mm Fix

2.8mm Fix

2.8/4/6/8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

98.5°

98.5°

98.5°

98.5°

98.5°

98.5°

IR Range

Up to 30m

Up to 30m (EXIR)

Up to 30m

Up to 30m

Up to 30m

Up to 30m

Body Type &amp; Standard

Plastic / IP67&amp; IK10

Plastic / IP67 &amp; IK10

Metal / IP67

Metal / IP67

Metal / IP67

Metal / IP67

SD Card Support

No

No

Yes (Up to 128 G)

Yes (Up to 128 G)

Yes (Up to 128 G)

Yes (Up to 128 G)

Microphone Support

No

No

No

No

No

No

WDR

DWDR

DWDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

WIFI

No

No

No

No

No

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Other Features

3D DNR, BLC, H.265+ COMP

3D DNR, BLC, ROI, VCA,  
H.265+ COMP3D DNR, BLC, ROI, H.265+  
COMP3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

**021-88500020**

(20 خط)

	13	14	15	16	17	18
<a href="#">Click for More information</a>	<a href="#">DS-2CD2123G0-IS</a>	<a href="#">DS-2CD2143G0-IS</a>	<a href="#">DS-2CD2143G0-IS (BLACK)</a>	<a href="#">DS-2CD2163G0-IS</a>	<a href="#">DS-2CD2183G0-IS</a>	<a href="#">DS-2CD2542FWD-IS</a>
						
<b>Price (Rials)</b>	۴۰,۷۱۰,۰۰۰	۴۴,۱۰۰,۰۰۰	۴۴,۷۲۰,۰۰۰	۵۲,۵۸۰,۰۰۰	۶۱,۹۱۰,۰۰۰	۵۸,۷۳۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome	Dome	Mini Dome
<b>Imaging Sensor</b>	1/2.8" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/2.5" Prog. CMOS	1/3" Prog. CMOS
<b>Resolution</b>	2MP(1920x1080/25FPS)	4MP(2688x1520/20fps)	4MP(2688x1520/20fps)	6MP(3072x2048/20fps)	8MP(3840x2160/15fps)	4MP(2688x1520/20fps)
<b>Network Standard</b>	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
<b>Min. Illustration</b>	0.01 Lux @ F1.2	0.01 Lux @ F1.2	0.01 Lux @ F1.1	0.028 Lux @ F2	0.028 Lux @ F2	0.01Lux @ F2
<b>Lens</b>	2.8mm Fix	2.8mm Fix	2.8/4/6/8mm Fix	2.8mm Fix	2.8mm Fix	2.8/4 mm Fix
<b>Viewing Angle</b>	98.5°	98.5°	98.5°	98.5°	98.5°	98.5°/79°/51
<b>IR Range</b>	Up to 30m	Up to 30m	Up to 30m	Up to 30m	Up to 30m	Up to 10m
<b>Body Type &amp; Standard</b>	Metal / IP67 & IK10	Metal / IP67 & IK10	Metal / IP67 & IK9	Metal / IP67 & IK10	Metal / IP67 & IK10	Metal / IP66 & IK08
<b>SD Card Support</b>	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)
<b>Microphone Support</b>	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)
<b>WDR</b>	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
<b>WIFI</b>	No	No	No	No	No	Yes
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Other Features</b>	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, H.264+ COMP

19

20

21

22

23

24

Click for More  
information

DS-2CD2543G0-IS

DS-2CD2T43G0-IS

DS-2CD2T63G0-IS

DS-2CD2T63G0-I8

DS-2CD2T83G0-I8

DS-2CD1623G0-I



Price (Rials)

۵۷,۶۵۰,۰۰۰

۴۸,۰۸۰,۰۰۰

۵۵,۱۲۰,۰۰۰

۵۸,۵۱۰,۰۰۰

۶۹,۵۴۰,۰۰۰

۴۹,۱۹۰,۰۰۰

Camera Type

Mini Dome

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

1/3" Prog. CMOS

1/3" Prog. CMOS

1/2.9" Prog. CMOS

1/2.9" Prog. CMOS

1/2.5" Prog. CMOS

1/2.8" Prog. CMOS

Resolution

4MP(2688×1520/20fps)

4MP(2688×1520/25fps)

6MP(3072×2048/20fps)

6MP(3072×2048/20fps)

8MP(3840×2160/15fps)

2MP(1920×1080/30fps)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.01Lux @ F2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.028Lux @ F2

0.01Lux @ F1.2

Lens

2.8/4/6mm Fix

2.8mm/4mm Fix

2.8mm/4mm Fix

2.8mm/4mm Fix

2.8mm/4mm Fix

2.8-12mm Varifocal

Viewing Angle

98.5°/79°/51

98.5°/79°

98.5°/79°

98.5°/79°

98.5°/79°

91.2°~28.3°

IR Range

Up to 10m (EXIR)

Up to 50m (EXIR)

Up to 50m (EXIR)

Up to 80m (EXIR)

Up to 80m (EXIR)

Up to 30m

Body Type &amp; Standard

Metal / IP67

Metal / IP67

Metal / IP67

Metal / IP67

Metal / IP67

Metal / IP67

SD Card Support

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 128 G)

Microphone Support

Yes (1.ch Audio Input)

No

No

No

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

DWDR

WIFI

No

No

No

No

No

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Other Features

3D DNR, BLC, ROI, H.264+  
COMP3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR

3D DNR, BLC, ROI

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

**021-88500020**

(20 خط)



25

26

27

28

29

30

[Click for More information](#)

DS-2CD1623G0-IZ

DS-2CD1643G0-I

DS-2CD2632F-I

DS-2CD2643G1-IZS

DS-2CD1723G0-I

DS-2CD1743G0-I



Price (Rials)

۵۵,۱۲۰,۰۰۰

۵۹,۳۶۰,۰۰۰

۵۷,۶۷۰,۰۰۰

۸۲,۴۹۰,۰۰۰

۴۹,۱۹۰,۰۰۰

۵۳,۴۳۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Dome

Dome

Imaging Sensor

1/2.8" Prog. CMOS

1/3" Prog. CMOS

1/3" Prog. CMOS

1/3" Prog. CMOS

1/2.8" Prog. CMOS

1/3" Prog. CMOS

Resolution

2MP(1920x1080/30fps)

4MP(2560x1440/20fps)

3MP(2048x1536/25FPS)

4MP(2048x1536/25FPS)

2MP(1920x1080/30FPS)

4MP (2560x1440/20FPS)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.01Lux @ F1.2

0.01Lux @ F1.2

0.005Lux @ F1.2

0.01Lux @ F1.1

0.01Lux @ F2

0.018Lux @ F2

Lens

2.8-12mm Motorized

2.8-12mm Varifocal

2.8-12mm Varifocal

2.8-12mm Varifocal

2.8-12mm Varifocal

2.8-12mm Varifocal

Viewing Angle

91.2°~28.3°

91.2°~28.3°

91.2°~28.3°

91.2°~28.3°

91.2°~28.3°

91.2°~28.3°

IR Range

Up to 30m

Up to 30m (EXIR)

Up to 30m

Up to 50m

Up to 30m

Up to 30m (EXIR)

Body Type &amp; Standard

Metal / IP67

Metal / IP67

Metal / IP66

Metal / IP67

Metal/ IP67 &amp; IK10

Metal / IP67

SD Card Support

Yes (Up to 128 G)

Yes (Up to 128 G)

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 128G)

Microphone Support

No

No

No

No

No

No

WDR

DWDR

Yes (120db)

DWDR

DWDR

DWDR

Yes (120db)

WIFI

No

No

No

No

No

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Other Features

3D DNR, BLC, ROI

3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.264+  
COMP3D DNR, BLC, ROI, H.264+  
COMP3D DNR, BLC, ROI, VCA,  
H.265+ COMP3D DNR, BLC, ROI, VCA,  
H.265+ COMP

31

32

33

34

35

36

Click for More  
information

DS-2CD2743G0-IZS DS-2CD2423G0-IW DS-2CD2443G0-IW DS-2CD2322WD-I DS-2CD2Q10FD-IW DS-2CV2U21FD-IW



Price (Rials)

۸۹,۴۰,۰۰۰

۳۳,۹۲,۰۰۰

۴۱,۹۸,۰۰۰

۳۷,۷۴,۰۰۰

۲۹,۸۴,۰۰۰

۲۰,۷۶,۰۰۰

Camera Type

Dome

Cube

Cube

Dome

Indoor Pan-tilt

Cube

Imaging Sensor

1/3" Prog. CMOS

1/2.7" Prog. CMOS

1/3" Prog. CMOS

1/3" Prog. CMOS

1/4" Prog. CMOS

1/2.8" Prog. CMOS

Resolution

4MP (2688x1520/20fps)

2MP (1920x1080/30FPS)

4MP(2560x1440/20fps)

2MP(1920x1080/25FPS)

1MP (1280x720/30FPS)

2MP (1920x1080/30FPS)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.01Lux @ F2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

Lens

2.8-12mm Motorized

2.8mm/4mm Fix

2.8mm/4mm Fix

2.8/4/6mm Fix

4mm Fix

2.8mm Fix

Viewing Angle

91.2°~28.3°

98.5°/79°

98.5°/79°

98.5°/79°/51

79°

98.5°

IR Range

Up to 30m (EXIR)

Up to 10m

Up to 10m

Up to 30m (EXIR)

Up to 10m

Up to 10m

Body Type &amp; Standard

Metal/ IP67 &amp; IK10

Plastic

Plastic

Plastic / IP67

Plastic

Plastic

SD Card Support

Yes (Up to 128G)

Yes (up to 128GB)

Yes (up to 128GB)

No

Yes (up to 128GB)

Yes (up to 128GB)

Microphone Support

Yes (1.ch Audio Input)

Yes (Build-in Mic &amp; Spkr)

-

No

Yes (Build-in Mic &amp; Spkr)

Yes (Build-in Mic &amp; Spkr)

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

DWDR

DWDR

WIFI

No

Yes

No

No

Yes ( Built in WIFI)

Built in WIFI

Power Supply

12V DC or POE

12V DC

12V DC

12V DC or POE

12V DC or POE

12V DC

Other Features

3D DNR, BLC, ROI, VCA,  
H.265+ COMP3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.264+  
COMPMotorizedPan-Tilt  
Rotation,PIR,3DDNR,  
BLC,ROI,VCA3D DNR, BLC, ROI, VCA,  
H.264 COMP

37

38

39

40

41

Click for More  
information

DS-2CD2955FWD-IS

DS-2CD2F52F-IS

DS-2PT3326IZ-DE3

DS-2DE4225IW-DE

DS-2DE7232IW-AE



Price (Rials)

۱۰۵,۷۸۰,۰۰۰

۵۴,۱۶۷,۰۰۰

۱۵۲,۹۲۰,۰۰۰

۱۴۸,۸۱۰,۰۰۰

۲۷۳,۵۱۰,۰۰۰

Camera Type

FishEye

Pan-Tilt Dome

Mini PTZ/Panoramic

PTZ

PTZ

Imaging Sensor

1/2.5" Prog. CMOS

1/3" Prog. CMOS

1/2.8" Prog. CMOS

1/2.8" Prog. CMOS

1/2.8" Prog. CMOS

Resolution

5MP(2560x1920/30FPS)

5Mp(2560x1920/20fps)

2MP(1920x1080/30FPS)

2MP(1920x1080/30FPS)

2MP(1920x1080/30FPS)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux/F1.6

0.005Lux/F1.6

0.005Lux/F1.6

Lens

1.05 mm

2.8/4/6mm Fix

2.8-12mm

-

4.7-94mm Motorized

Viewing Angle

186° Panoramic

98.5°/79°/51

4x

25x

32x

IR Range

Up to 8m

Up to 10m

10m

100m

150m

Body Type &amp; Standard

-

Metal / IP67

Aluminum alloy

Metal

-

SD Card Support

Yes (up to 128GB)

Yes (up to 128GB)

IP66

-

IP66

Microphone Support

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

DWDR

Yes (120db)

Yes (120db)

WDR

Yes (120db)

DWDR

No

No

No

WIFI

No

No

12VDC &amp; POE(802.3at)

12VDC &amp; POE(802.3at)

24VAC &amp; POE(802.3at)

Power Supply

12V DC or POE

12V DC

Other Features

3D DNR, BLC, ROI, VCA, HLC,  
H.265+ COMPMotorized Pan-Tilt  
Rotation, 3DDNR, BLC, ROI8x Digital Zoom, ICR, VCA,  
Micro SD Up to 256G, HLC16x Digital Zoom, 3DDNR,  
ICR, BLC, , Micro SD Upto  
256G,16x Digital Zoom, VCA,  
Micro SD Up to 256G

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

42

43

44

45

46

47

Click for More  
information

DS-7104NI-Q1/M

DS-7104NI-Q1/4P/M

DS-7604NI-Q1

DS-7604NI-Q1/4P

DS-7108NI-Q1/M

DS-7108NI-Q1/8P/M



Price (Rials)

۱۹,۸۳۰,۰۰۰

۳۲,۷۵۰,۰۰۰

۳۰,۵۱۰,۰۰۰

۴۳,۶۱۰,۰۰۰

۲۴,۹۲۰,۰۰۰

۴۷,۶۲۰,۰۰۰

NVR Type

4 Ch

4 Ch POE NVR

4 Ch NVR

4 Ch POE NVR

8 Ch NVR

8 Ch NVR

Input BandWidth

40Mbps

40Mbps

40Mbps

40Mbps

60Mbps

60Mbps

Output Bandwidth

60Mbps

60Mbps

80Mbps

80Mbps

60Mbps

60Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 4Mp

Upto 4Mp

Upto 8Mp

Upto 8Mp

Upto 4Mp

Upto 4Mp

Video Output

1 Port HDMI : 1080p  
1 Port VGA1 Port HDMI : 1080p  
1 Port VGA1 Port HDMI : 4k  
1 Port VGA1 Port HDMI : 4K  
1 Port VGA1 Port HDMI : 1080p  
1 Port VGA1 Port HDMI : 1080p  
1 Port VGA

POE Ports

-

4 POE Ports

-

4 POE Ports

-

8 POE Ports

SATA Interface

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 6TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 100M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265+ COMPR

H.265+ COMPR

H.265+ COMPR

H.265+ COMPR

H.265+ COMPR

H.265+ COMPR

48

49

50

51

52

53

[Click for More information](#)

DS-7608NI-K1

DS-7616NI-K2

DS-7616NI-Q1

DS-7616NI-Q2

DS-7616NI-Q2/16P

DS-7716NI-Q4



Price (Rials)

۳۷,۳۷۰,۰۰۰

۵۰,۴۲۰,۰۰۰

۴۴,۴۸۰,۰۰۰

۴۶,۵۴۰,۰۰۰

۹۴,۸۰۰,۰۰۰

۹۸,۰۳۰,۰۰۰

NVR Type

8 Ch NVR

16 Ch NVR

16 Ch NVR

16 Ch NVR

16 Ch NVR

16 Ch NVR

Input BandWidth

60Mbps

160Mbps

160Mbps

160Mbps

160Mbps

160Mbps

Output Bandwidth

80Mbps

160Mbps

80Mbps

80Mbps

80Mbps

80Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Video Output

1 Port HDMI : 4K  
1 Port VGA : 1080P1 Port HDMI : 4K  
1 Port VGA : 1080P1 Port HDMI : 4k  
1 Port VGA1 Port HDMI : 4K  
1 Port VGA : 1080P1 Port HDMI : 4k  
1 Port VGA : 1920P1 Port HDMI : 4K  
1 Port VGA : 1080P

POE Ports

-

-

-

-

16 POE Ports

-

SATA Interface

1 HDD up to 6TB

2 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 6TB

2 HDD up to 10TB

4 HDD up to 6TB

Network Interface

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

1U chassis

Standalone 1U

1U chassis

Standalone 1U

Other Feathures

H.265+ COMPR  
Alarm I/O 4/1H.265+ COMPR  
Alarm I/O 4/1

H.265+ COMPR

H.265+ COMPR  
Alarm I/O 4/1

H.265+ COMPR

H.265+ COMPR  
Alarm I/O 4/1

	54	55	56	57
<a href="#">Click for More information</a>	<a href="#">DS-7732NI-K4</a>	<a href="#">DS-7732NI-Q4</a>	<a href="#">DS-7732NI-Q4/16P</a>	<a href="#">DS-7600NI-E1/A</a>



<b>Price (Rials)</b>	۱۴۶,۸۹۰,۰۰۰	۱۲۱,۳۰۰,۰۰۰	۱۷۷,۹۶۰,۰۰۰	<b>Call:88500020</b>
<b>NVR Type</b>	32 Ch NVR	32 Ch NVR	32 Ch NVR	
<b>Input BandWidth</b>	256Mbps	200Mbps	200Mbps	
<b>Output Bandwidth</b>	160Mbps	128Mbps	128Mbps	
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8Mp	Upto 8Mp	
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI:1080P 1 Port VGA:1080P	1 Port HDMI:1080P 1 Port VGA:1080P	
<b>POE Ports</b>	-	-	16 POE Ports	
<b>SATA Interface</b>	4 HDD up to 10TB	4 HDD up to 6TB	4 HDD up to 6TB	
<b>Network Interface</b>	1 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M	
<b>Chassis</b>	19" 1.5 Case	19" Case	19" Case	
<b>Other Features</b>	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4	Advertising files import and preview,The output resolution of LCD is up to 1080P, Third party network cameras supported,Up to 8-ch synchronous playback at 720P resolution,Up to 8 network cameras can be connected,Smart search and smart playback 1TB HDD WD10JUCT pre-installed