

HIKVISION

لیست قیمت رسمی نیمه دوم مهر ۱۳۹۹

درباره هایک ویژن

شرکت هایک ویژن (Hikvision) یک شرکت چینی فعال در زمینه تولید تجهیزات مداربسته است. این شرکت کار خود را در سال 2001 در شهر هانگژو آغاز کرد و مسیر پیشرفت را با سرعتی بالا طی کرد بطوری که در سال 2014 به عنوان سومین تولید کننده بزرگ تجهیزات حفاظتی-امنیتی و اولین تولید کننده تجهیزات مداربسته در جهان شناخته شد. شرکت هایک ویژن در سال 2013 بیش از 13000 نفر را به صورت مستقیم به اشتغال در آورده که با داشتن تیم تحقیق و توسعه ای 4000 نفری دارای بزرگترین تیم تحقیق و توسعه جهان محسوب می شود. این شرکت دارای 30 نماینده محلی در چین و بیش از 16 نماینده بین المللی در جهان است که تجهیزات این شرکت را به طور فعال توزیع می کنند.

تارتین دژ آریانا

نمایندگی پخش محصولات هایک ویژن



افتخارات هایک ویژن

سومین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال 2014 و 2015
اولین تولید کننده دوربین مداربسته و تجهیزات نظارت تصویری در سال 2015
تولید بیشتر از 20% از کل دستگاه های DVR دنیا
برنده جایزه ملی ZUBR روسیه در سال ۲۰۱۳
برنده جایزه طراحی محصول RED DOT در سال ۲۰۱۲
برنده جایزه طراحی بهترین دوربین IP در Secutech در سال ۲۰۱۲
برنده جایزه "Golden Excellence Award" در CPSE سال ۲۰۱۱
برنده جایزه FSdays در سال ۲۰۱۰

720 & 1080p Entry-Level Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(خط 20)

	1	2	3	4	5	6
Click for More information	DS-2CE16C0T-IRP	DS-2CE56C0T-IRP	DS-2CE56C0T-IRPF	DS-2CE16D0T-IF	DS-2CE16D0T-IRF	DS-2CE16D0T-ITFS
						
Price (Rials)	٤,١٤٠,٠٠٠	٥,٤١٠,٠٠٠	٥,٨٢٠,٠٠٠	٧,٤٩٠,٠٠٠	١٠,٢١٠,٠٠٠	١١,٧٢٠,٠٠٠
Camera Type	Bullet	Dome	Dome	Bullet	Bullet	Bullet
Imaging Sensor	1 Megapixel	1 Megapixel	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD720P	HD720P	HD720P	HD1080P	HD1080P	1920 (H) x1080 (V)
Signal System	HD-TVI	HD-TVI	HDTVI,AHD,HDCVI,ANLOG	HD-TVI	HD-TVI	PAL/NTSC
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.02Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8/3.6/6 mm Fix	2.8/3.6/6 mm Fix	2.8/3.6/6 mm Fix	2.8/3.6mm Fix	2.8/3.6/6 mm Fix	2.8/3.6/6 Fixed
Viewing Angle	105°/79.6°/ 51.9°	105°/79.6°/ 51.9°	105°/79.6°/ 51.9°	103° - 82°	103°/82.2° /54°	360°-180°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 20m	Up to 20m	Up to 30m
Body Type	Metal	-	-	Metal	Metal	Metal
IP Standard	IP66	-	-	IP66	IP66	IP67
OSD Menu	No	No	No	Yes	No	No
WDR	No	No	No	DWDR	DWDR	Yes (120db)
Power Supply	12V DC	12V DC	12V DC	12 VDC	12 VDC	12 VDC ± 25%
Other Feathures	Smart IR, ICR, AGC	Smart IR, ICR, AGC	Smart IR, ICR, AGC, Switchable	Smart IR, 3D DNR, True Day&night	Smart IR, 3D DNR, True Day&night	Smart IR, HLC, DNR

7

8

9

10

11

12

Click for More
information

DS-2CE16D0T-IT3

DS-2CE16D0T-VFIR3F

DS-2CE16D3T-I3F

DS-2CE56D0T-IPF

DS-2CE56D0T-VFIR3F

DS-2CE56D8T-ITME



Price (Rials)

۱۲,۳۱۰,۰۰۰

۲۰,۲۱۰,۰۰۰

۱۲,۸۹۰,۰۰۰

۶,۰۷۰,۰۰۰

۲۰,۲۱۰,۰۰۰

۱۶,۶۳۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

0.2Lux/F1.2

0.01Lux/F1.2

0.005 Lux/F1.2

Lens

2.8/3.6/6mm Fix

2.8 - 12mm Vari-Focal

2.8/3.6/6mm Fix

2.8/3.6mm Fix

2.8 - 12mm Vari-Focal

2.8/3.6/6mm Fix

Viewing Angle

103° - 80° - 54°

102° - 32°

102° - 32°

103° - 80°

105° - 32°

103° - 82° - 54°

IR Range

Up to 40m (EXIR)

Up to 40m

Up to 30m

Up to 20m

Up to 40m

Up to 20m (EXIR)

Body Type

Metal & Plastic

Metal

Metal

Plastic

Metal & Plastic

Metal

IP Standard

IP66

IP66

IP67

-

IP66

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

No

Yes(120db)

DWDR

No

Yes (120db)

Power Supply

12V DC

12 VDC

12 VDC

12V DC

12V DC

12 VDC/built-in PoC

Other Features

Smart IR, 3D DNR, ICR,
AGC, BLCTrue day/night, AGC,
BLC

True day/night, AGC

Smart IR, True Day/Night

Smart IR, ICR, AGC

Smart IR, 3D DNR, HLC,
AGC, BLC, ICR

13

14

15

Click for More
information

DS-2CE56D8T-IT1E

DS-2CE76D0T-ITMF

DS-2CE76D0T-ITMFS



Price (Rials)	1۷,۴۶۰,۰۰۰	1۰,۵۹۰,۰۰۰	11,۷۲۰,۰۰۰
Camera Type	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	1920 (H) × 1080 (V)	1920 (H) × 1080 (V)
Signal System	HD-TVI	PAL/NTSC	PAL/NTSC
Min. Illustration	0.005 Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8/3.6/6mm Fix	2.8/3.6/6 Fixed	2.8/3.6/6 Fixed
Viewing Angle	103° - 82° - 54°	360°-75°	360°-75°
IR Range	Up to 20m (EXIR)	Up to 30m	Up to 30m
Body Type	Metal & Plastic	Metal	Metal
IP Standard	IP67	IP67	IP67
OSD Menu	No	No	No
WDR	Yes (120db)	Yes	Yes
Power Supply	12 VDC/built-in PoC	12 VDC ± 25%	12 VDC ± 25%
Other Features	Smart IR, 3D DNR, HLC, BLC, ICR	Smart IR, HLC,BLC	Smart IR, HLC,BLC

3Mp Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(خط 20)

16

17

Click for More
information

DS-2CE16F7T-IT3Z

DS-2CE56F7T-IT3Z



Price (Rials)	۳۳,۲۶۰,۰۰۰	۳۳,۲۶۰,۰۰۰
Camera Type	Bullet	Dome
Imaging Sensor	3 Megapixel	3 Megapixel
Resolution	3MP (1920*1536)	3MP (1920*1536)
Signal System	HD-TVI	HD-TVI
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8 - 12mm Motorized	2.8 - 12mm Motorized
Viewing Angle	105° - 32°	105° - 32°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal	Metal
IP Standard	IP66	IP66
OSD Menu	Yes	Yes
WDR	Yes (120db)	Yes (120db)
Power Supply	12V DC	12V DC
Other Features	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, AGC, BLC, ICR

5Mp Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

جهت مشاهده دقیق محصولات بر روی پارت نامبرها کلیک کنید

18

19

20

21

22

23

Click for More
information

DS-2CE16H0T-ITF

DS-2CE16H0T-IT3F

DS-2CE16H0T-IT3ZF

DS-2CE16H1T-ITE

DS-2CE56H0T-IT1F

DS-2CE56H0T-IT3F



Price (Rials)

۱۴,۱۳۰,۰۰۰

۱۶,۶۳۰,۰۰۰

۲۸,۶۹۰,۰۰۰

۱۷,۴۶۰,۰۰۰

۱۵,۸۰۰,۰۰۰

۱۶,۲۵۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1

0.01Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8/3.6/6mm Fix

2.8/3.6/6mm Fix

2.7 - 13.5mm Motorized

2.8/3.6/6mm Fix

2.8/3.6/6mm Fix

2.8/3.6/6mm Fix

Viewing Angle

105°/85°/65°

105°/85°/65°

103° - 32.1°

105°/85°/65°

105°/85°/65°

105°/85°/65°

IR Range

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal

Metal & Plastic

Metal

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

Yes

Yes

Yes

Yes

Yes

Yes

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC/built-in PoC

12 VDC

12 VDC

Other Features

2D DNR, DWDR,
SwitchableSmart IR, ICR, AGC, BLC,
SwitchableSmart IR, ICR, AGC, BLC,
Switchable

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, BLC,
Switchable

24

25

26

27

28

29

Click for More
information

DS-2CE56H0T-IT3ZF

DS-2CE56H1T-IT1E

DS-2CE76H0T-ITMFS

DS-2CE12H0T-PIRL

DS-2CE71H0T-PIRL

DS-2CE18U8T-IT3



Price (Rials)

۲۸,۲۷۰,۰۰۰

۱۹,۹۶۰,۰۰۰

۱۴,۳۶۰,۰۰۰

۱۵,۸۰۰,۰۰۰

Call:88500020

۴۹,۸۹۰,۰۰۰

Camera Type

Dome

Dome

Dome

Bullet

Dome

Bullet

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

8.29 Megapixel

Resolution

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

8MP (3840*2160)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8 - 12mm Motorized

2.8/3.6/6mm Fix

2.8/3.6/6mm FIX

2.8/3.6mm FIX

2.8/3.6mm Fix

2.8/3.6/6mm FIX

Viewing Angle

105° - 32°

105°/85°/65°

360°/75°

105°/85°

103° - 80°

105°/85°/65°

IR Range

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 30m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 60m (EXIR)

Body Type

Metal

Metal & Plastic

Metal

Metal & Plastic

Metal & Plastic

Metal

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

Yes

Yes

No

No

No

No

WDR

DWDR

DWDR

Yes

No

No

Yes (120db)

Power Supply

12 VDC

12 VDC/built-in PoC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC,
Switchable

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC

Smart IR, ICR, AGC, BLC,
PIR

PIR, Visual Alarm

Smart IR, ICR, AGC, BLC

Click for More
information

DS-2CE78U8T-IT3



Price (Rials)	۴۷,۳۹۰,۰۰۰
Camera Type	Dome
Imaging Sensor	8.29 Megapixel
Resolution	8MP (3840*2160)
Signal System	HD-TVI
Min. Illustration	0.003 Lux/F1.2
Lens	2.8/3.6/6mm FIX
Viewing Angle	105°/85°/65°
IR Range	Up to 60m (EXIR)
Body Type	Metal & Plastic
IP Standard	IP67
OSD Menu	No
WDR	No
Power Supply	12 VDC
Other Feathures	Smart IR, ICR

720p/1080p DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

31

32

Click for More
information

DS-7208HGHI-F1

DS-7216HGHI-K1



Price (Rials)	۳۱,۴۳۰,۰۰۰	۳۸,۸۳۰,۰۰۰
DVR Type	8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP
Analog Video Input	8 Ch. HDTVI/Analog Up to 2MP	16 Ch. HDTVI/Analog Up to 2MP AHD Up to 2MP
IP Video Input	1 Ch. Up to 2MP	2 Ch. Up to 2MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	1080P: 15FPS	1080P: 15FPS
Video Output	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U
Other Features	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265/H.265+ Compression 4K UHD output

720/1080p/3MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

33

34

35

36

37

Click for More
information

DS-7204HQHI-K1

DS-7208HQHI-K1

DS-7116HQHI-K1

DS-7216HQHI-K1

DS-7232HQHI-K2



Price (Rials)

۲۶,۶۲۰,۰۰۰

۴۰,۱۴۰,۰۰۰

۵۸,۷۲۰,۰۰۰

۶۸,۸۶۰,۰۰۰

۱۳۲,۶۵۰,۰۰۰

DVR Type

4+1 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP32+8 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

4 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP32 Ch. HDTV/Analog
Up to 4MP

IP Video Input

1 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 4MP

2 Ch. Up to 6MP

8 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS

Video Output

1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 1080P
1 Port VGA : 1080P
1Ch. CVBS: WD1

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression
4K UHD output

720p/1080p/3MP/5MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(خط 20)

38

39

40

41

42

Click for More
information

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7208HUHI-K1

DS-7208HUHI-K2/P

DS-7216HUHI-K2



Price (Rials)

۴۲,۸۴۰,۰۰۰

۴۷,۰۵۰,۰۰۰

۶۱,۲۶۰,۰۰۰

۸۷,۷۷۰,۰۰۰

۱۲۲,۰۹۰,۰۰۰

DVR Type

4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16 + 8 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording8 Ch. HDTV/Analog
Up to 8MPSupport
Up to 5MP resolution
recordingSupport
Up to 8MP resolution
recording

IP Video Input

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

4 Ch. Up to 8MP

8 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS

Video Output

1 Port HDMI : 1080P,
1 Port VGA1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA
CVBS1 Port HDMI : 4K
1 Port VGA : 1080P
CVBS1 Port HDMI : 4K
1 Port VGA
CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : 8/4
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 8/4
Built-in PoC1xE-SATA interface
H.265/H.265+ COMPR
Alarm In/Out : 16/4

720/1080/3/5/8MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(خط 20)

43

44

Click for More
information

DS-7204HTHI-K1

DS-7208HTHI-K2



Price (Rials)	۴۹,۸۹۰,۰۰۰	۹۶,۹۹۰,۰۰۰
DVR Type	4 +2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording
IP Video Input	2 Ch. Up to 8MP	4 Ch. Up to 8MP
Audio Input/Output	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out
Recording	8MP: 15FPS 5MP: 20FPS 4mp: 30FPS	8MP: 15FPS 5MP: 20FPS 3mp: 30FPS
Video Output	1 Port HDMI : 4K 1 Port VGA CVBS	1 Port HDMI : 4K 1 Port VGA CVBS
SATA Interface	1 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U
Other Features	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA