

# HIKVISION

## لیست قیمت رسمی نیمه اردیبهشت ۱۴۰۰

درباره هایک ویژن

شرکت هایک ویژن (Hikvision) یک شرکت چینی فعال در زمینه تولید تجهیزات مدار بسته است. این شرکت کار خود را در سال ۲۰۰۱ در شهر هانگ ژو آغاز کرد و مسیر پیشرفت را با سرعتی بالا طی کرد به طوری که در سال ۲۰۱۴ به عنوان سومین تولید کننده بزرگ تجهیزات حفاظتی - امنیتی و اولین تولید کننده تجهیزات مدار بسته در جهان شناخته شد. شرکت هایک ویژن در سال ۲۰۱۳ بیش از ۱۳۰۰۰ نفر را به صورت مستقیم به اشتغال در آورده که با داشتن تیم تحقیق و توسعه ای ۴۰۰۰ نفری دارای بزرگترین تیم تحقیق و توسعه جهان محسوب می شود. این شرکت دارای ۳۰ نماینده محلی در چین و بیش از ۱۶ نماینده بین المللی در جهان است که تجهیزات این شرکت را به طور فعال توزیع می کنند.

افتخارات هایک ویژن

## تارتن دژ آریانا

نمایندگی بخش محصولات هایک ویژن



سومین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال ۲۰۱۴ و ۲۰۱۵  
اولین تولید کننده دوربین مدار بسته و تجهیزات نظارت تصویری در سال ۲۰۱۵  
تولید بیشتر از ۲۰٪ از کل دستگاه های DVR دنیا  
برنده جایزه ملی ZUBR روسیه در سال ۲۰۱۳  
برنده جایزه طراحی محصول RED DOT در سال ۲۰۱۲  
برنده جایزه طراحی بهترین دوربین IP در Secutech در سال ۲۰۱۲  
برنده جایزه "Golden Excellence Award" در CPSE سال ۲۰۱۱  
برنده جایزه FSdays در سال ۲۰۱۰

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

**021-88500020**

**(20 خط)**

1

2

3

4

5

6

Click for More  
information

DS-2CD1023G0E-I

DS-2CD1023G0-IU

DS-2CD1043G0-I

DS-2CD1123G0E-I

DS-2CD1123G0-I

DS-2CD1323G0-IU



Price (Rials)

۱۸,۱۸۰,۰۰۰

۱۹,۷۰۰,۰۰۰

۲۴,۳۳۰,۰۰۰

۱۹,۴۸۰,۰۰۰

۲۵,۸۷۰,۰۰۰

۱۹,۹۵۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Imaging Sensor

1/2.8" Prog. CMOS

1/2.8" Prog. CMOS

1/3" Prog. CMOS

1/2.8" Prog. CMOS

1/2.8" Prog. CMOS

1/2.8" Prog. CMOS

Resolution

2MP(1920x1080/30FPS)

2MP(1920x1080/30FPS)

4MP(2560x1440/20fps)

2MP(1920x1080/30FPS)

2MP(1920x1080/25FPS)

2MP(1920x1080/25FPS)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.01Lux @ F1.2

0.01Lux @ F1.2

0.028Lux @ F2

0.01Lux @ F1.2

0.01Lux @ F2

0.01Lux @ F2

Lens

2.8, 4mmFix

2.8/4 mm Fix

2.8mmFix

2.8/4mm Fix

2.8mm Fix

4/6mm Fix

Viewing Angle

98.5°

98.5°

98.5°

98.5°

98.5°

98.5°

IR Range

Up to 30m

Up to 30m

Up to 30m (EXIR)

Up to 30m

Up to 30m

Up to 30m

Body Type &amp; Standard

Plastic / IP67

Plastic / IP66

Plastic / IP67

Plastic / IP67

Plastic / IP67

Metal / IP67

SD Card Support

No

No

No

No

No

No

Microphone Support

No

Yes (Built in MIC)

No

No

No

Yes (Built in MIC)

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

WIFI

No

No

No

No

No

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Other Features

3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR

3D DNR, BLC, H.265+ COMP

3D DNR, BLC, H.265+ COMP

3D DNR, BLC, H.265+ COMP

7

8

9

10

11

12

Click for More  
information

DS-2CD1143G0-I

DS-2CD2023G0-I

DS-2CD2043G0-I

DS-2CD2083G0-I

DS-2CD2123G0-IS

DS-2CD2143G0-IS



Price (Rials)

۲۶,۷۷۰,۰۰۰

۳۷,۷۴۰,۰۰۰

۳۵,۴۹۰,۰۰۰

۵۶,۸۲۰,۰۰۰

۴۰,۷۱۰,۰۰۰

۴۴,۱۰۰,۰۰۰

Camera Type

Dome

Bullet

Bullet

Bullet

Bullet

Dome

Imaging Sensor

1/3" Prog. CMOS

1/2.8" Prog. CMOS

1/3" Prog. CMOS

1/2.5" Prog. CMOS

1/3" Prog. CMOS

1/3" Prog. CMOS

Resolution

4MP(2560×1440/20fps)

2MP(1920×1080/30FPS)

4MP(2560×1440/30fps)

8MP(3840×2160/15fps)

2MP(1920×1080/30fps)

4MP(2688×1520/20fps)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.028Lux @ F2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01 Lux @ F1.2

Lens

2.8mm Fix

2.8/4/6/8mm Fix

2.8mm Fix

2.8/4/6/8mm Fix

2.8/4/6/8mm Fix

2.8mm Fix

Viewing Angle

98.5°

98.5°

98.5°

98.5°

98.5°

98.5°

IR Range

Up to 30m (EXIR)

Up to 30m

Up to 30m

Up to 30m

Up to 30m

Up to 30m

Body Type &amp; Standard

Plastic / IP67

Metal / IP67

Metal / IP67

Metal / IP67

Metal / IP67

Metal / IP67 &amp; IK10

SD Card Support

No

Yes (Up to 128 G)

Yes (Up to 128 G)

Yes (Up to 128 G)

Yes (Up to 128 G)

Yes (Up to 128G)

Microphone Support

No

No

No

No

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

WDR

DWDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

WIFI

No

No

No

No

No

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Other Features

3D DNR, BLC, ROI, VCA, H.265+ COMP

3D DNR, BLC, ROI, H.265+ COMP

3D DNR, BLC, ROI, H.265+ COMP,PIR

3D DNR, BLC, ROI, H.265+ COMP,PIR

3D DNR, BLC, ROI, H.265+ COMP,PIR

3D DNR, BLC, ROI, VCA, H.265+ COMP

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

**021-88500020**

**(20 خط)**

	13	14	15	16	17	18
<a href="#">Click for More information</a>	<a href="#">DS-2CD2163G0-IS (Black)</a>	<a href="#">DS-2CD2183G0-IS (Black)</a>	<a href="#">DS-2CD2T43G0-I5</a>	<a href="#">DS-2CD2T43G0-I8</a>	<a href="#">DS-2CD2T63G0-I8</a>	<a href="#">DS-2CD1623G0-I</a>
						
<b>Price (Rials)</b>	۴۱,۵۱۰,۰۰۰	۴۸,۸۶۰,۰۰۰	۳۹,۸۰۰,۰۰۰	۴۰,۹۹۰,۰۰۰	۴۵,۴۸۰,۰۰۰	۴۹,۱۹۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	1/2.9" Prog. CMOS	1/2.9" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/2.9" Prog. CMOS	1/2.9" Prog. CMOS
<b>Resolution</b>	6MP(3072×2048/20fps)	8MP(3840×2160/20fps)	4MP(2560×1440/25fps)	4MP(2688×1520/25fps)	6MP(3072×2048/20fps)	2MP(1920 × 1080/20fps)
<b>Network Standard</b>	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
<b>Min. Illustration</b>	0.028 Lux @ F2	0.028 Lux @ F2	0.01Lux @ F1.2	0.01Lux @ F1.2	0.01Lux @ F1.2	0.01Lux @ F1.2
<b>Lens</b>	2.8mm Fix	2.8/4/6/8mm Fix	2.8mm/4mm Fix	2.8/4/6/8mm Fix	2.8mm/4mm Fix	2.8-12mm Varifocal
<b>Viewing Angle</b>	98.5°	98.5°	98.5°/79°	98.5°/79°	98.5°/79°	91.2°~28.3°
<b>IR Range</b>	Up to 30m	Up to 30m	Up to 50m (EXIR)	Up to 80m (EXIR)	Up to 80m (EXIR)	Up to 30m (EXIR)
<b>Body Type &amp; Standard</b>	Metal / IP67 & IK10	Metal / IP67 & IK10	Metal / IP67	Metal / IP67	Metal / IP67	Metal / IP67
<b>SD Card Support</b>	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)
<b>Microphone Support</b>	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	No	No	No	No
<b>WDR</b>	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	DWDR
<b>WIFI</b>	No	No	No	No	No	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Other Features</b>	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP,PIR

	19	20	21	22	23	24
<a href="#">Click for More information</a>	<a href="#">DS-2CD1623G0-IZ</a>	<a href="#">DS-2CD1643G0-I</a>	<a href="#">DS-2CD2632F-I</a>	<a href="#">DS-2CD2643G1-IZS</a>	<a href="#">DS-2CD1743G0-IZ</a>	<a href="#">DS-2CD2743G1-IZS</a>
						
<b>Price (Rials)</b>	۵۵,۱۲۰,۰۰۰	۵۹,۳۶۰,۰۰۰	۵۷,۶۷۰,۰۰۰	۸۲,۴۹۰,۰۰۰	۴۸,۹۰۰,۰۰۰	۷۱,۶۵۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Dome	Dome
<b>Imaging Sensor</b>	1/2.9" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS
<b>Resolution</b>	2MP(1920 × 1080/20fps)	4MP(2560×1440/20fps)	3MP(2048x1536/25FPS)	4MP(2560×1440/25fps)	4MP (2560x1440/20FPS)	4MP (2560x1440/20FPS)
<b>Network Standard</b>	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
<b>Min. Illustration</b>	0.01Lux @ F1.2	0.01Lux @ F1.2	0.005Lux @ F1.2	0.001Lux @ F101	0.018Lux @ F2	0.018Lux @ F2
<b>Lens</b>	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Motorized
<b>Viewing Angle</b>	91.2°~28.3°	91.2°~28.3°	91.2°~28.3°	91.2°~28.3°	91.2°~28.3°	91.2°~28.3°
<b>IR Range</b>	Up to 30m (EXIR)	Up to 30m (EXIR)	Up to 30m	Up to 50m	Up to 30m (EXIR)	Up to 30m
<b>Body Type &amp; Standard</b>	Metal / IP67	Metal / IP67	Metal / IP66	Metal / IP67	Metal / IP67	Metal / IP67
<b>SD Card Support</b>	Yes (Up to 128G)	Yes (Up to 128 G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 128G)
<b>Microphone Support</b>	No	No	No	Yes	No	No
<b>WDR</b>	DWDR	Yes (120db)	DWDR	Yes (120db)	Yes (120db)	Yes (120db)
<b>WIFI</b>	No	No	No	No	No	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Other Features</b>	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP	3D DNR, BLC, H.265+ COMP

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

**021-88500020**

**(20 خط)**



25

26

27

28

29

Click for More  
information

DS-2CD2421G0-IW

DS-2CD2423G0-IW

DS-2CD2443G0-IW

DS-2CD2Q10FD-IW

DS-2CV2U21FD-IW



Price (Rials)

۲۳,۴۷۰,۰۰۰

۳۰,۹۲۰,۰۰۰

۳۴,۹۲۰,۰۰۰

۲۹,۸۴۰,۰۰۰

۲۰,۷۶۰,۰۰۰

Camera Type

Cube

Cube

Cube

Indoor Pan-tilt

Cube

Imaging Sensor

1/2.7" Prog. CMOS

1/2.7" Prog. CMOS

1/3" Prog. CMOS

1/4" Prog. CMOS

1/2.8" Prog. CMOS

Resolution

2MP (1920x1080/30FPS)

2MP (1920x1080/30FPS)

4MP(2560x1440/20fps)

1MP (1280x720/30FPS)

2MP (1920x1080/30FPS)

Network Standard

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

Min. Illustration

0.028Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

0.01Lux @ F1.2

Lens

2.8mm Fix

2.8mm/4mm Fix

2.8mm/4mm Fix

4mm Fix

2.8mm Fix

Viewing Angle

98.5°/79°

98.5°/79°

98.5°/79°

79°

98.5°

IR Range

Up to 10m

Up to 10m

Up to 10m

Up to 10m

Up to 10m

Body Type &amp; Standard

Plastic

Plastic

Plastic

Plastic

Plastic

SD Card Support

Yes (up to 128GB)

Yes (up to 128GB)

Yes (up to 128GB)

Yes (up to 128GB)

Yes (up to 128GB)

Microphone Support

Yes (Built-in Mic &amp; Spkr)

Yes (Built-in Mic &amp; Spkr)

Yes (Built-in Mic &amp; Spkr)

Yes (Built-in Mic &amp; Spkr)

Yes (Built-in Mic &amp; Spkr)

WDR

DWDR

Yes (120db)

Yes (120db)

DWDR

DWDR

WIFI

Yes

Yes

Yes

Yes ( Built in WIFI)

Built in WIFI

Power Supply

12V DC

12V DC

12V DC

12V DC or POE

12V DC

Other Features

3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIR3D DNR, BLC, ROI, H.265+  
COMP,PIRMotorizedPan-Tilt  
Rotation,PIR,3DDNR,  
BLC,ROI,VCA3D DNR, BLC, ROI, VCA,  
H.264 COMP

30

31

32

Click for More  
information

DS-2DE4225IW-DE

DS-2DE4425IW-DE

DS-2DE7232IW-AE



Price (Rials)	۱۴۸,۸۱۰,۰۰۰	۱۵۷,۹۶۰,۰۰۰	۲۷۳,۵۱۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Imaging Sensor	1/2.8" Prog. CMOS	1/2.8" Prog. CMOS	1/2.8" Prog. CMOS
Resolution	2MP(1920x1080/30FPS)	4MP(1920x1080/30FPS)	2MP(1920x1080/30FPS)
Network Standard	ONVIF	ONVIF	ONVIF
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.6
Lens	4.8-120mm Motorized	4.8-120mm Motorized	4.7-94mm Motorized
Viewing Angle	25x	25x	32x
IR Range	100m	100m	150m
Body Type & Standard	Metal	Metal	Metal
SD Card Support	IP66	IP66	IP66
Microphone Support	No	No	Yes
WDR	Yes (120db)	Yes (120db)	Yes (120db)
WIFI	12VDC & POE(802.3at)	24VAC & POE(802.3at)	24VAC & POE(802.3at)
Power Supply			
Other Features	16x Digital Zoom, 3DDNR, ICR, BLC, , Micro SD Upto 256G,	16x Digital Zoom, VCA, Micro SD Up to 256G	16x Digital Zoom, VCA, Micro SD Up to 256G

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

**021-88500020**

**(20 خط)**

	33	34	35	36	37	38
<a href="#">Click for More information</a>	<a href="#">DS-7104NI-Q1/M</a>	<a href="#">DS-7604NI-K1</a>	<a href="#">DS-7604NI-Q1/4P</a>	<a href="#">DS-7108NI-Q1/M</a>	<a href="#">DS-7608NI-K1</a>	<a href="#">DS-7616NI-K2</a>



<b>Price (Rials)</b>	۱۸,۵۲۰,۰۰۰	۳۰,۵۰۰,۰۰۰	۴۳,۶۱۰,۰۰۰	۱۹,۲۴۰,۰۰۰	۳۲,۵۹۰,۰۰۰	۵۰,۴۲۰,۰۰۰
<b>NVR Type</b>	4 Ch	4 Ch	4 Ch / 4 POE	8 Ch	8 Ch	16 Ch
<b>Input BandWidth</b>	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	160Mbps
<b>Output Bandwidth</b>	60Mbps	80Mbps	80Mbps	60Mbps	80Mbps	160Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 4Mp	Upto 8Mp	Upto 8Mp	Upto 4Mp	Upto 8Mp	Upto 8Mp
<b>Video Output</b>	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P
<b>POE Ports</b>	-	-	4 POE Ports	-	-	-
<b>SATA Interface</b>	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 8TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	H.265+ COMPR	H.265+ COMPR	H.265+ COMPR	H.265+ COMPR	H.265+ COMPR Alarm I/O 4/1	H.265+ COMPR Alarm I/O 4/1

	39	40	41	42	43	44
<a href="#">Click for More information</a>	<a href="#">DS-7616NI-Q1</a>	<a href="#">DS-7616NI-Q2</a>	<a href="#">DS-7616NI-Q2/16P</a>	<a href="#">DS-7716NI-Q4</a>	<a href="#">DS-7716NI-Q4/16P</a>	<a href="#">DS-7732NI-K4</a>
						
<b>Price (Rials)</b>	۳۲,۹۰۰,۰۰۰	۴۱,۶۰۰,۰۰۰	۸۳,۷۵۰,۰۰۰	۸۴,۱۷۰,۰۰۰	۱۲۴,۰۷۰,۰۰۰	۱۱۰,۳۹۰,۰۰۰
<b>NVR Type</b>	16 Ch	16 Ch	16 Ch / 16 POE	16 Ch	16 Ch	32 Ch
<b>Input BandWidth</b>	160Mbps	160Mbps	160Mbps	160Mbps	160Mbps	256Mbps
<b>Output Bandwidth</b>	80Mbps	80Mbps	80Mbps	80Mbps	80Mbps	160Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
<b>Video Output</b>	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA : 1920P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P
<b>POE Ports</b>	-	-	16 POE Ports	-	-	-
<b>SATA Interface</b>	1 HDD up to 8TB	2 HDD up to 8TB	2 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	1U chassis	Standalone 1U	1U chassis	Standalone 1U	Standalone 1U	19" 1.5 Case
<b>Other Features</b>	H.265+ COMPR	H.265+ COMPR Alarm I/O 4/1	H.265+ COMPR	H.265+ COMPR Alarm I/O 4/1	H.265+ COMPR Alarm I/O 4/1	H.265+ COMPR Alarm I/O 16/4

45

46

47

[Click for More information](#)

DS-7732NI-K4/16P

DS-7732NI-Q4

DS-7732NI-Q4/16P



Price (Rials)

۱۶۳.۵۹۰,۰۰۰

۹۶,۴۰۰,۰۰۰

۱۳۹.۵۲۰,۰۰۰

NVR Type

32 Ch

32 Ch

32 Ch / 16 POE

Input BandWidth

256Mbps

200Mbps

200Mbps

Output Bandwidth

160Mbps

128Mbps

128Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 8Mp

Upto 8Mp

Upto 8Mp

Video Output

1 Port HDMI : 4K  
1 Port VGA : 1080P1 Port HDMI:1080P  
1 Port VGA:1080P1 Port HDMI:1080P  
1 Port VGA:1080P

POE Ports

-

-

16 POE Ports

SATA Interface

4 HDD up to 10TB

4 HDD up to 8TB

4 HDD up to 8TB

Network Interface

1 RJ45 1000M

2 RJ45 1000M

1 RJ45 1000M

Chassis

19" 1.5 Case

19" Case

19" Case

Other Features

H.265+ COMPR  
Alarm I/O 16/4H.265+ COMPR  
Alarm I/O 16/4H.265+ COMPR  
Alarm I/O 16/4