

HIKVISION


لیست قیمت رسمی زمستان ۱۴۰۰

تارتن دژ آریانا

جشنواره زمستانه هایک ویژن

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

Switches



1

2

3

Click for More information

DS-3E0105P-E

DS-3E0109P-E

DS-3E1318P-E



Price (Rials)	Call:88500020	Call:88500020	Call:88500020
Switch Type	Unmanaged	Unmanaged	Unmanaged
SW Layer	L2	L2	L2
Switch port	4 100M PoE port	8 100M PoE port	16 100M PoE port
Uplink Port	1 100M uplink port	1 100M uplink port	2 1000M combo port
IEEE POE	802.3af/at	802.3af/at	802.3af/at
POWER	58W	123W	230W
Port max. power	30	30	30

Brackets



4

5

6

7

Click for More information

DS-1602ZJ

DS-1661ZJ

DS-1662ZJ

DS-1681ZJ



Price (Rials)

Call:88500020

Call:88500020

Call:88500020

۲,۲۵۰,۰۰۰

Color

Hik white

Hik white

Hik white

Hik white

Material

Aluminum alloy

Aluminum alloy

Aluminum alloy

Aluminum alloy

Dimension

97X182X305mm

116.5×200mm

116.5×500mm

176.8X194X419.5mm

Weight

1050g

600g

960g

1000g

Keyboard

HIKVISION

8

Click for More
information

DS-1100KI



Price (Rials)	Call:88500020
Control Mod	IP-based
Joystick	4-axis joystick
Line In:	1-ch, 3.5 mm connector
Audio Out:	1-ch, 3.5 mm connector
Network Interface:	1 10M/100M/1000M
USB Interface:	1, USB2.0
RS-232 Interface:	1 RS-232 interface
RS-485 Interface:	1 RS-485 interface
Dimensions	435 × 193 × 110 mm
Weight	2 Kg (4.4 lb)
Power Supply:	12 VDC

Cables & etc

HIKVISION

9

10

Click for More information

DS-1LN6-UU

DS-1LN6-UE-W



Price (Rials)

۵۱,۶۶۰,۰۰۰

۴۶,۹۴۰,۰۰۰

Category

U/UTP CAT6-4P-PVC-CM

U/UTP CAT6-4P-PVC-CM

Conductor Material

Solid-Bare Copper

Solid-Bare Copper

Insulation Material

HDPE

HDPE

Sheath Material

PVC(complies RoHS),CM

PVC(complies RoHS),CM

Sheath Thickness

0.55±0.05 mm

0.55±0.05 mm