

HIKVISION

لیست قیمت رسمی بهار ۱۴۰۱

تارتن دژ آریانا

جشنواره بهار هایک ویژن

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

1

2

3

4

5

6

Click for More information

DS-2CE16D0T-ITPF

DS-2CE16D0T-ITF

DS-2CE16D0T-ITFS

DS-2CE16D0T-EXIF

DS-2CE16D3T-ITF

DS-2CE16D0T-VFIR3F



Price (Rials)

٩,١١٠,٠٠٠

٨,١١٠,٠٠٠

١١,٣٥٠,٠٠٠

٧,٤٣٠,٠٠٠

١١,٨٢٠,٠٠٠

١٨,٩٤٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

0.01Lux/F1.2

Lens

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

2.8/3.6 Fixed

2.8/3.6 Fixed

2.8 - 12mm VariFocal

Viewing Angle

106.4°/79.6° /51.9°

101°/79.6° /51.9°

106.4°/79.6° /51.9°

102°/81°

106°/82°

102.25° - 32°

IR Range

Up to 25m

Up to 30m (Exir)

Up to 30m (Exir)

Up to 20m

Up to 30m (Exir)

Up to 40m

Body Type

Plastic

Metal

Metal

Metal

Metal

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP66

IP67

IP66

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

Yes (120db)

No

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, DNR, BLC, 2D DNR, Switchable

Smart IR, HLC, DNR, BLC, 2D DNR, Switchable

HLC,2D DNR, BLC, Switchable, Built-in microphone

2D DNR, BLC, Switchable

3D DNR,HLC, BLC, Switchable

ICR, BLC, Smart IR, Switchable

7

8

9

10

11

Click for More
information

DS-2CE56D0T-VFIR3F

DS-2CE76D0T-ITPF(C)

DS-2CE76D3T-ITPF

DS-2CE72DF3T-F

DS-2CE70DF0T-PF



Price (Rials)

۱۸,۴۷۰,۰۰۰

۶,۳۲۰,۰۰۰

۹,۹۸۰,۰۰۰

۱۳,۳۷۰,۰۰۰

۱۳,۴۲۰,۰۰۰

Camera Type

Dome

Dome

Dome

Turret

Turret

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

0.0005Lux/F1.0

0.001Lux/F1.0

Lens

2.8 - 12mm VariFocal

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

Viewing Angle

105° - 32°

103°/82.2° /54°

106°/82° /51°

98°/77° /51°

98°/76° /50°

IR Range

Up to 40m

Up to 20m (EXIR)

Up to 30m(Exir)

Up to 40m (ColorVu)

Up to 20m (ColorVu)

Body Type

Metal & Plastic

Plastic

Plastic

Metal & Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP76

IP76

OSD Menu

No

No

Yes

Yes

Yes

WDR

No

DWDR

Yes (120db)

Yes (130db)

DWDR

Power Supply

12V DC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC,
SwitchableSmart IR, HLC,BLC,
SwitchableSmart IR, HLC,BLC,
Switchable3D DNR, HLC,BLC,
Switchable, HLS3D DNR, HLC,BLC,
Switchable

12

13

14

15

16

17

Click for More information

DS-2CE16H0T-ITF


DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F

DS-2CE17H0T-IT5F

DS-2CE56H0T-IT1F

DS-2CE56H0T-IT3ZF



Price (Rials)

11,90,000

13,31,000

13,64,000

15,83,000

12,52,000

22,61,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2592*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

3.6/6/8mm Fixed

2.8/3.6/6mm Fixed

2.8 - 12mm Motorized

Viewing Angle

85.5°/80.1°/57.1°

110°/85°/80°

85°/80°/57°

80°/57°/41°

105°/85°/65°

105° - 32°

IR Range

Up to 20m (EXIR)

Up to 30m

Up to 40m

Up to 80m

Up to 20m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

Yes

No

No

No

Yes

Yes

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

2D DNR, DWDR, Switchable

Smart IR, 2D DNR, HLC,BLC, Switchable

Smart IR, 2D DNR, HLC,BLC, Switchable

Smart IR, 2D DNR, HLC,BLC, Switchable

Smart IR, ICR, AGC, BLC, Switchable

Smart IR, ICR, AGC, BLC, Switchable

18

19

20

21

22

23

Click for More information

DS-2CE56H1T-IT3E

DS-2CE76H0T-ITPFS

DS-2CE76H0T-ITMF

DS-2CE78H0T-IT3F

DS-2CE18U8T-IT3

DS-2CE78U8T-IT3



Price (Rials)

19,500,000

11,000,000

12,920,000

14,770,000

38,830,000

36,590,000

Camera Type

Dome

Dome

Dome

Dome

Bullet

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

8.29 Megapixel

8.29 Megapixel

Resolution

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

8MP (3840*2160)

8MP (3840*2160)

Signal System

HD-TVI

HD-TVI

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.003 Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

Viewing Angle

105°/85°/65°

85°/80°/57.1°

105°/85°/65°

85°/80°/57°

105°/85°/65°

105°/85°/65°

IR Range

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 30m (EXIR)

Up to 40m (EXIR)

Up to 60m (EXIR)

Up to 60m (EXIR)

Body Type

Metal & Plastic

Plastic

Metal

Metal & Plastic

Metal

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

Yes

Yes

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

Yes (120db)

Yes (120db)

Power Supply

12 VDC/built-in PoC

12 VDC/built-in PoC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC

Smart IR, ICR, AGC, HLC, BLC, Built-in microphone

Smart IR, ICR, AGC, BLC, Switchable

Smart IR, ICR, AGC, HLC, BLC, Switchable

Smart IR, ICR, AGC, BLC

Smart IR, ICR

24

25

26

27

28

Click for More
information

DS-7204HQHI-K1

DS-7208HQHI-K1

DS-7216HQHI-K1

DS-7216HQHI-K2

DS-7232HQHI-K2



Price (Rials)

۲۷,۹۷۰,۰۰۰

۳۶,۴۰۰,۰۰۰

۶۸,۰۶۰,۰۰۰

۷۹,۲۵۰,۰۰۰

۱۵۸,۴۸۰,۰۰۰

DVR Type

4+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

4 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP32 Ch. HDTV/Analog
Up to 4MP

IP Video Input

1 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS

Video Output

1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 1080P
1 Port VGA : 1080P
1Ch. CVBS: WD1

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression
4K UHD output

29

30

31

32

33

Click for More
information

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7208HUHI-K1

DS-7208HUHI-K2/P

DS-7216HUHI-K2



Price (Rials)

۳۲,۴۱۰,۰۰۰

۳۹,۱۱۰,۰۰۰

۶۷,۲۸۰,۰۰۰

۶۹,۷۹۰,۰۰۰

۱۲۵,۲۹۰,۰۰۰

DVR Type

4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16 + 8 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording

IP Video Input

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

4 Ch. Up to 8MP

8 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS

Video Output

1 Port HDMI : 1080P,
1 Port VGA1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA
CVBS1 Port HDMI : 4K
1 Port VGA : 1080P
CVBS1 Port HDMI : 4K
1 Port VGA
CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : 8/4
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 8/4
Built-in PoC1xE-SATA interface
H.265/H.265+ COMPR
Alarm In/Out : 16/4