

# HIKVISION

لیست قیمت رسمی اسفند ۱۴۰۱

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نماینده مرکزی محصولات هایک ویژن

1

2

3

4

5

6

Click for More information

DS-2CE16D0T-ITPF(2.8mm)

DS-2CE16D0T-ITPFS

DS-2CE16D0T-ITFS

DS-2CE16D0T-EXIF

DS-2CE16D0T-EXIPF

DS-2CE16D3T-ITF



Price (Rials)

٩,٥٠٠,٠٠٠

١٤,٥٠٠,٠٠٠

١٥,٥٩٠,٠٠٠

١١,٤٨٠,٠٠٠

١١,٠٠٠,٠٠٠

١٩,١٦٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

Lens

2.8mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

Viewing Angle

106.4°

106.4°/79.6° /51.9°

106.4°/79.6° /51.9°

102°/81°

96.5°/76.9°

106°/82°

IR Range

Up to 25m

Up to 25m (Exir)

Up to 30m (Exir)

Up to 20m

Up to 20m (Exir)

Up to 30m (Exir)

Body Type

Plastic

Plastic

Metal

Metal

Plastic

Metal

IP Standard

IP67

IP67

IP67

IP66

IP66

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, DNR, BLC, 2D DNR, Switchable

Smart IR, Switchable, Built in mic

HLC,2D DNR, BLC, Switchable, Built-in microphone

2D DNR, BLC, Switchable

2D DNR, BLC, AGC, Switchable

3D DNR,HLC, BLC, Switchable

7

8

9

10

11

12

Click for More  
information

DS-2CE17D0T-IT1F

DS-2CE17D0T-IT3F(2.8mm)

DS-2CE16D0T-VFIR3F

DS-2CE10DF0T-F

DS-2CE10DF3T-F

DS-2CE10DF3T-FS(2.8mm)



Price (Rials)

١٥,٩٧٠,٠٠٠

٢٠,٤٩٠,٠٠٠

٢٨,٧٨٠,٠٠٠

٢٨,٤٢٠,٠٠٠

٢١,٠٢٠,٠٠٠

٣٠,١٤٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.0005Lux/F1.0

0.0005Lux/F1.0

0.0005Lux/F1.0

Lens

2.8/3.6mm Fixed

2.8mm Fixed

2.8 - 12mm VariFocal

3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

Viewing Angle

101°/79.6°

106.4°

102.25° - 32°

83°/51°

98°/77° /51°

98°

IR Range

Up to 30m (Exir)

Up to 40m

Up to 40m

Up to 20m (ColorVu)

Up to 20m (ColorVu)

Up to 20m (ColorVu)

Body Type

Metal &amp; Plastic

Metal &amp; Plastic

Metal &amp; Plastic

Metal

Metal

Metal

IP Standard

IP67

IP67

IP66

IP67

IP67

IP67

OSD Menu

No

No

No

Yes

No

No

WDR

DWDR

DWDR

No

Yes (130db)

Yes (130db)

Yes (130db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

3D DNR,HLC, BLC, AGC,  
Switchable

HLC, BLC, AGC, Switchable

ICR, BLC, Smart IR,  
SwitchableICR, BLC, HLC, Smart IR,  
SwitchableHLC, BLC, Smart IR,  
Switchable, 3D DNRHLC, BLC, Smart IR,  
Switchable, 3D DNR, Built  
in mic

13

14

15

16

17

18

Click for More  
information

DS-2CE12DF3T-FS(2.8mm)

DS-2CE76D0T-ITPF(C)

DS-2CE76D0T-EXIPF(2.8mm)

DS-2CE76D0T-ITPFS

DS-2CE76D0T-ITMF

DS-2CE76D0T-ITMFS



Price (Rials)

۳۳,۹۱۰,۰۰۰

۹,۹۵۰,۰۰۰

۱۱,۸۵۰,۰۰۰

۱۳,۱۲۰,۰۰۰

۱۴,۵۵۰,۰۰۰

۱۶,۶۴۰,۰۰۰

Camera Type

Bullet

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.0005Lux/F1.0

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

98°

103°/82.2° /54°

96.5°

106°/79.6°/51°

101°

106.4°/79.6°/51.9°

IR Range

Up to 40m (ColorVu)

Up to 20m (Exir)

Up to 20m (Exir)

Up to 20m (Exir)

Up to 30m

Up to 30m (Exir)

Body Type

Metal

Plastic

Plastic

Plastic

Metal

Metal

IP Standard

IP67

IP66

IP66

IP66

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

Yes (130db)

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

HLC, BLC, Smart IR,  
Switchable, 3D DNR, Built  
in micSmart IR, HLC,BLC,  
SwitchableSmart IR, HLC,BLC,  
SwitchableSmart IR, HLC,BLC,  
SwitchableSmart IR, ICR, HLC,BLC, 2D  
DNR, SwitchableICR,AGC, Switchable,  
Built in mic

19

20

21

22

23

24

Click for More  
information

DS-2CE76D3T-ITPF

DS-2CE78D0T-IT3FS

DS-2CE76D3T-ITMF(2.8mm)

DS-2CE56D0T-VFIR3F

DS-2CE72DFT-FC

DS-2CE70DF0T-PF



Price (Rials)

۱۵,۹۱۰,۰۰۰

۲۱,۰۹۰,۰۰۰

۲۱,۰۹۰,۰۰۰

۲۸,۵۲۰,۰۰۰

۱۷,۵۰۰,۰۰۰

۲۰,۷۳۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.005Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

0.01Lux/F1.2

0.0008Lux/F1.0

0.001Lux/F1.0

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8 - 12mm VariFocal

3.6/6mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

106°/82° /51°

106.4°/79.6° /51.9°

106°

105°/ 32°

83°/51°

98°/76°/50°

IR Range

Up to 30m(Exir)

Up to 40m(Exir)

Up to 30m(Exir)

Up to 40m

Up to 20m (ColorVu)

Up to 20m (ColorVu)

Body Type

Plastic

Metal &amp; Plastic

Metal

Metal &amp; Plastic

Metal &amp; Plastic

Plastic

IP Standard

IP66

IP67

IP67

IP66

IP67

IP66

OSD Menu

Yes

No

No

No

No

No

WDR

Yes (120db)

DWDR

Yes (120db)

DWDR

Yes (120db)

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC,BLC,  
SwitchableSmart IR, AGC, Switchable,  
ICR, Built in micSmart IR, HLC,BLC,  
Switchable, 3D DNRSmart IR, ICR, AGC,  
Switchable3D DNR, HLC,BLC,  
Switchable

AGC, Switchable

25

26

27

28

29

30

Click for More information

DS-2CE70DF3T-PF(3.6mm)

DS-2CE72DF3T-F(2.8mm)

DS-2CE16H0T-ITPF

DS-2CE16H0T-ITPFS

DS-2CE16H0T-ITF

DS-2CE16H0T-ITFS



Price (Rials)	۲۳,۸۶۰,۰۰۰	۲۲,۴۸۰,۰۰۰	۱۵,۶۹۰,۰۰۰	۱۸,۳۷۰,۰۰۰	۱۷,۲۲۰,۰۰۰	۲۰,۴۰۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	5MP (2560*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2560*1944)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.0005Lux/F1.0	0.0005Lux/F1.0	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1	0.01Lux/F1
Lens	3.6 Fixed	2.8 Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed
Viewing Angle	77°	98°	85.5°/80.1°/57.1°	85.5°/80.1°/57.1°	85.5°/80.1°/57.1°	85.5°/80.1°/57.1°
IR Range	Up to 20m (ColorVu)	Up to 40m (ColorVu)	Up to 20m (Exir)	Up to 25m (Exir)	Up to 20m (Exir)	Up to 30m (Exir)
Body Type	Plastic	Metal & Plastic	Plastic	Plastic	Metal	Metal
IP Standard	IP66	IP67	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No	Yes	No
WDR	Yes (130db)	Yes (130db)	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	AGC, Switchable, 3D DNR	AGC, Switchable, 3D DNR	Smart IR, BLC,AGC, DNR, Switchable	Smart IR, HLC,BLC,AGC, 2D DNR, Switchable, Built in Mic	2D DNR, DWDR, Switchable	2D DNR, Switchable, Built in Mic

31

32

33

34

35

36

Click for More  
information

DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F

DS-2CE17H0T-IT3FS

DS-2CE17H0T-IT5F

DS-2CE56H0T-IT1F

DS-2CE76H0T-ITPF



Price (Rials)

۲۰,۵۵۰,۰۰۰

۲۰,۶۱۰,۰۰۰

۲۶,۳۵۰,۰۰۰

۲۱,۵۰۰,۰۰۰

۱۸,۵۰۰,۰۰۰

۱۴,۴۲۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

3.6/6/8mm Fixed

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

Viewing Angle

110°/85°/80°

85°/80°/57°

85°

80°/57°/41°

105°/85°/65°

110°/85°/80°

IR Range

Up to 30m

Up to 40m

Up to 40m

Up to 80m

Up to 20m (Exir)

Up to 20m (Exir)

Body Type

Metal &amp; Plastic

Metal &amp; Plastic

Metal &amp; Plastic

Metal &amp; Plastic

Metal &amp; Plastic

Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

No

Yes

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, 2D DNR,  
HLC,BLC, SwitchableSmart IR, 2D DNR,  
HLC,BLC, SwitchableSmart IR, 2D DNR,  
HLC,BLC, SwitchableSmart IR, 2D DNR,  
HLC,BLC, SwitchableSmart IR, ICR, AGC, BLC,  
SwitchableSmart IR, ICR, AGC, BLC,  
HLC

37

38

39

40

41

42

Click for More  
information

DS-2CE76H0T-ITPFS

DS-2CE76H0T-ITMF

DS-2CE76H0T-ITMFS(2.8mm) DS-2CE78H0T-IT1F(2.4mm)

DS-2CE78H0T-IT3F

DS-2CE72HFT-F28(2.8mm)



Price (Rials)

۱۷,۹۴۰,۰۰۰

۱۸,۹۶۰,۰۰۰

۲۱,۴۸۰,۰۰۰

۲۱,۱۱۰,۰۰۰

۲۲,۸۱۰,۰۰۰

۲۳,۹۴۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

5MP (2560\*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.0005 Lux/F1.0

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.4 mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

Viewing Angle

85°/80°/57.1°

105°/85°/65°

85°

110°

85°/80°/57°

99.7°

IR Range

Up to 20m (Exir)

Up to 30m (Exir)

Up to 30m

Up to 30m (Exir)

Up to 40m (Exir)

Up to 20m (ColorVu)

Body Type

Plastic

Metal

Metal

Metal &amp; Plastic

Metal &amp; Plastic

Metal &amp; Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

Yes (130db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, Built in Mic

Smart IR, ICR, AGC, BLC, Switchable

Smart IR, ICR, AGC, BLC, Switchable, Built in mic

Smart IR, ICR, AGC, BLC,HLC, Switchable

Smart IR, ICR, AGC,HLC, BLC, Switchable

Smart IR, 3D DNR



43

44

45

46

47

Click for More  
information

DS-2CE72KF0T-FS(2.8mm)

DS-2CE10KF0T-FS(2.8mm)

DS-2CE12KF0T-FS(2.8mm)

DS-2CE78U8T-IT3

DS-2AE4225TI-D



Price (Rials)

۳۳,۹۰,۰۰۰

۳,۷۹۰,۰۰۰

۳۵,۶۱۰,۰۰۰

۵۶,۵۰۰,۰۰۰

۱۵۹,۶۹۰,۰۰۰

Camera Type

Dome

Bullet

Bullet

Dome

PTZ

Imaging Sensor

3K

3K

3K

8.29 Megapixel

2 Megapixel

Resolution

3K (2960\*1665)

3K (2960\*1665)

3K (2960\*1665)

8MP (3840\*2160)

1920 × 1080

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.001 Lux/F1.0

0.001 Lux/F1.0

0.001 Lux/F1.0

0.003 Lux/F1.2

0.005 Lux/F1.6

Lens

2.8mm Fixed

2.8mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

4.8 mm-120mm

Viewing Angle

102°

102°

102°

105°/85°/65°

25x Optical Zoom

IR Range

Up to 40m (ColorVu)

Up to 20m (ColorVu)

Up to 40m (ColorVu)

Up to 60m (Exir)

Up to 100m

Body Type

Metal &amp; Plastic

Metal &amp; Plastic

Metal

Metal &amp; Plastic

Metal

IP Standard

IP67

IP67

IP67

IP67

IP66

OSD Menu

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

Yes (120db)

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, 3D DNR, Built in mic

Smart IR, 2D DNR, Built in mic

Smart IR, 2D DNR, Built in mic

Smart IR, ICR

Smart IR, ICR, Switchable, DarkFighter

48

49

50

51

52

53

Click for More  
information

IDS-7204HQHI-M1/S


IDS-7208HQHI-M1/S

DS-7216HQHI-K1

iDS-7216HQHI-M2/S

DS-7232HQHI-K2

iDS-7232HQHI-M2/S



Price (Rials)

۴۱,۱۵۰,۰۰۰

۶۵,۰۰۰,۰۰۰

۱۰۷,۷۵۰,۰۰۰

۱۳۳,۷۱۰,۰۰۰

۲۳۶,۴۸۰,۰۰۰

۲۳۶,۴۸۰,۰۰۰

DVR Type

4+1 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP

Analog Video Input

4 Ch. HDTV/Analog  
Up to 4MP8 Ch. HDTV/Analog  
Up to 4MP16 Ch. HDTV/Analog  
Up to 4MP16 Ch. HDTV/Analog  
Up to 4MP32 Ch. HDTV/Analog  
Up to 4MP16 Ch. HDTV/Analog  
Up to 4MP

IP Video Input

1 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS4MP: 15FPS  
3MP: 15FPS  
1080P: 15FPS

Video Output

1 Port HDMI 1080P  
1 Port VGA,  
1Ch. CVBS1 Port HDMI 1080P  
1 Port VGA,  
1Ch. CVBS1 Port HDMI : 4K  
1 Port VGA  
1Ch. CVBS1 Port HDMI 1080P  
1 Port VGA  
1Ch. CVBS1 Port HDMI : 4K  
1 Port VGA  
1Ch. CVBS1 Port HDMI : 4K  
1 Port VGA  
1Ch. CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+  
Compression, ONVIF,  
Smart SearchH.265/H.265+  
Compression, ONVIF,  
Smart SearchH.265/H.265+  
Compression, ONVIF,  
VCA, Smart SearchH.265/H.265+  
Compression, ONVIF,  
VCA, Smart SearchH.265 Pro+/H.265  
Pro/H.265/ Compression,  
VCAH.265/H.265+  
Compression, ONVIF,  
VCA, Smart Search

54

55

56

57

58

59

Click for More  
information

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7204HUHI-M1/S

DS-7208HUHI-M1/S

DS-7216HUHI-K2

IDS-7216HUHI-M2/S



Price (Rials)

۵۹,۹۰۰,۰۰۰

۵۹,۶۸۰,۰۰۰

۶۶,۱۰۰,۰۰۰

۱۰۶,۷۰۰,۰۰۰

۱۹۳,۵۰۰,۰۰۰

۱۹۸,۲۴۰,۰۰۰

DVR Type

4 +2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP4 + 4 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16+16Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP16+8 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recordingSupport  
Up to 5MP resolution  
recording

IP Video Input

2 Ch. Up to 8MP

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

8 Ch. Up to 8MP

8 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

5MP: 12FPS  
4MP: 15FPS  
3mp: 18FPS5MP: 12FPS  
4MP: 15FPS  
3mp: 18FPS5MP: 12FPS  
4MP: 15FPS  
3mp: 18FPS5MP: 30FPS  
4MP: 30FPS  
3mp: 30FPS5MP: 20FPS  
4MP: 25FPS  
3mp: 18FPS5MP: 20FPS  
4MP: 25FPS  
3mp: 18FPS

Video Output

1 Port HDMI : 1080P  
1 Port VGA1 Port HDMI : 1080P  
1 Port VGA  
CVBS: PAL1 Port HDMI : 2K  
1 Port VGA  
CVBS: PAL1 Port HDMI : 4K  
1 Port VGA1 Port HDMI : 4K  
1 Port VGA  
CVBS: PAL1 Port HDMI : 4K  
1 Port VGA  
CVBS: PAL

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR  
Alarm In/Out : 4/1  
Onvif, VCAH.265/H.265+ COMPR  
Alarm In/Out : 4/1  
Built-in PoCH.265/H.265+ COMPR  
Alarm In/Out : N/AH.265 Pro+/H.265 Pro,  
OnvifH.265/H.265+ COMPR  
Alarm In/Out : 16/4H.265/H.265+ COMPR  
Alarm In/Out : N/A

Click for More  
information

DS-7316HUHI-F4/N



Price (Rials)	۳۹۵,۶۶۰,۰۰۰
DVR Type	16 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 3MP resolution recording
IP Video Input	2 Ch. Up to 8MP
Audio Input/Output	4Ch. In / 2Ch. Out
Recording	3MP: 15FPS 2MP: 25FPS
Video Output	2 Port HDMI : 4K 1 Port VGA CVBS: PAL
SATA Interface	4 HDD up to 6TB
Network Interface	2 RJ45 1000M
Chassis	Standalone 1U
Other Features	H.265/H.265+ COMPR Alarm In/Out : 16/4