

HIKVISION

لیست قیمت رسمی آبان ماه ۱۴۰۲

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نماینده مرکزی محصولات هایک ویژن

1

2

3

4

5

6

Click for More
information

DS-2CE16D0T-ITPF(2.8mm)

DS-2CE16D0T-ITPFS

DS-2CE16D0T-ITF(3.6mm)

DS-2CE16D0T-ITFS(2.8)

DS-2CE16D0T-ITFS(3.6mm)

DS-2CE16D0T-EXIF



Price (Rials)

1٠,٤٣٠,٠٠٠

1٤,٣٩٠,٠٠٠

1٤,1٩٠,٠٠٠

1٧,٤٢٠,٠٠٠

1٧,٤1٠,٠٠٠

1٢,٩٨٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.02Lux/F1.2

Lens

2.8mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6mm Fixed

2.8mm Fixed

3.6mm Fixed

2.8/3.6mm Fixed

Viewing Angle

106.4°

106.4°/79.6° /51.9°

101°/79.6°

106.4°

79.6°

102°/81°

IR Range

Up to 25m

Up to 25m (Exir)

Up to 30m (Exir)

Up to 30m (Exir)

Up to 30m (Exir)

Up to 20m

Body Type

Plastic

Plastic

Metal

Metal

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

IP67

IP66

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, DNR, BLC,
2D DNR, SwitchableSmart IR, Switchable, Built
in micSmart IR, HLC, DNR, BLC,
2D DNR, SwitchableHLC,2D DNR, BLC,
Switchable, Built-in
microphoneHLC,2D DNR, BLC,
Switchable, Built-in
microphone

2D DNR, BLC, Switchable

7

8

9

10

11

12

Click for More
information

DS-2CE16D0T-EX1PF

DS-2CE16D3T-ITF

DS-2CE16D3T-IT3F(2.8mm)

DS-2CE17D0T-IT1F

DS-2CE17D0T-IT3F(2.8mm)

DS-2CE10DF0T-F



Price (Rials)

۱۲,۴۰۰,۰۰۰

۲۱,۶۶۰,۰۰۰

۲۲,۲۴۰,۰۰۰

۱۸,۵۰۰,۰۰۰

۲۳,۱۶۰,۰۰۰

۳۲,۱۳۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.02Lux/F1.2

0.02Lux/F1.2

0.005Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.001Lux/F1.0

Lens

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8mm Fixed

2.8/3.6mm Fixed

2.8mm Fixed

2.8/3.6mm Fixed

Viewing Angle

96.5°/76.9°

106°/82°

106°

101°/79.6°

106.4°

98°/76°

IR Range

Up to 20m (Exir)

Up to 30m (Exir)

Up to 50m (Exir)

Up to 30m (Exir)

Up to 40m

Up to 20m

Body Type

Plastic

Metal

Metal

Metal & Plastic

Metal & Plastic

Metal

IP Standard

IP66

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

Yes (120db)

Yes (120db)

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

2D DNR, BLC, AGC,
Switchable3D DNR,HLC, BLC,
Switchable3D DNR,HLC, BLC,
Switchable3D DNR,HLC, BLC, AGC,
Switchable

HLC, BLC, AGC, Switchable

HLC, BLC, AGC, Switchable

13

14

15

16

17

18

Click for More
information

DS-2CE10DF3T-F(3.6mm)

DS-2CE10DF3T-FS(2.8mm)

DS-2CE12DF3T-F(3.6mm)

DS-2CE12DF3T-FS(2.8mm)

DS-2CE76D0T-ITPF(C)(2.8)

DS-2CE76D0T-EXIPF(2.8mm)



Price (Rials)	۲۴,۳۰۰,۰۰۰	۲۴,۰۷۰,۰۰۰	۲۳,۴۷۰,۰۰۰	۲۸,۳۳۰,۰۰۰	۱۲,۳۲۰,۰۰۰	۱۳,۳۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.0005Lux/F1.0	0.0005Lux/F1.0	0.0005Lux/F1.0	0.0005Lux/F1.0	0.01Lux/F1.2	0.01Lux/F1.2
Lens	3.6mm Fixed	2.8mm Fixed	3.6mm Fixed	2.8mm Fixed	2.8mm Fixed	2.8mm Fixed
Viewing Angle	77°	98°	77°	98°	103°	96.5°
IR Range	Up to 20m (ColorVu)	Up to 20m (ColorVu)	Up to 40m (ColorVu)	Up to 40m (ColorVu)	Up to 20m (Exir)	Up to 20m (Exir)
Body Type	Metal	Metal	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	Yes (130db)	Yes (130db)	Yes (130db)	Yes (130db)	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	HLC, BLC, Smart IR, Switchable, 3D DNR	HLC, BLC, Smart IR, Switchable, 3D DNR, Built in mic	HLC, BLC, Smart IR, Switchable, 3D DNR	HLC, BLC, Smart IR, Switchable, 3D DNR, Built in mic	Smart IR, HLC,BLC, Switchable	Smart IR, HLC,BLC, Switchable

19

20

21

22

23

24

Click for More
information

DS-2CE76D0T-ITPFS

DS-2CE76D0T-ITMF(2.8)

DS-2CE76D0T-ITMFS(2.8)

DS-2CE76D3T-ITPF

DS-2CE76D3T-ITMF(2.8mm)

DS-2CE56D0T-VFIR3F



Price (Rials)

۱۴,۸۴۰,۰۰۰

۱۶,۴۴۰,۰۰۰

۱۸,۸۱۰,۰۰۰

۱۷,۴۲۰,۰۰۰

۲۳,۸۴۰,۰۰۰

۲۲,۲۴۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

0.005Lux/F1.2

0.01Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8 - 12mm VariFocal

Viewing Angle

106°/79.6°/51°

101°

106.4°

106°/82° /51°

106°

105°/ 32°

IR Range

Up to 20m (Exir)

Up to 30m

Up to 30m (Exir)

Up to 30m(Exir)

Up to 30m(Exir)

Up to 40m

Body Type

Plastic

Metal

Metal

Plastic

Metal

Metal & Plastic

IP Standard

IP66

IP67

IP67

IP66

IP67

IP66

OSD Menu

No

No

No

Yes

No

No

WDR

DWDR

DWDR

DWDR

Yes (120db)

Yes (120db)

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC,BLC,
SwitchableSmart IR, ICR, HLC,BLC, 2D
DNR, SwitchableICR,AGC, Switchable,
Built in micSmart IR, HLC,BLC,
SwitchableSmart IR, HLC,BLC,
Switchable, 3D DNRSmart IR, ICR, AGC,
Switchable

25

26

27

28

29

30

Click for More
information

DS-2CE78D0T-IT3FS

DS-2CE70DF0T-PF

DS-2CE70DF3T-PF(3.6mm)

DS-2CE72DF3T-F(3.6)

DS-2CE16H0T-ITPF

DS-2CE16H0T-ITPFS(2.8)



Price (Rials)	۲۳,۸۴۰,۰۰۰	۲۴,۷۲۰,۰۰۰	۲۶,۹۸۰,۰۰۰	۲۵,۴۱۰,۰۰۰	۱۷,۷۴۰,۰۰۰	۲۰,۷۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	5 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	5MP (2560*1944)	5MP (2592*1944)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.01Lux/F2.0	0.001Lux/F1.0	0.0005Lux/F1.0	0.0005Lux/F1.0	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	3.6mm Fixed	3.6mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed
Viewing Angle	98°/76°/50°	98°/76°/50°	77°	77°	85.5°/80.1°/57.1°	85.5°
IR Range	Up to 40m (Exir)	Up to 20m (ColorVu)	Up to 20m (ColorVu)	Up to 40m (ColorVu)	Up to 20m (Exir)	Up to 25m (Exir)
Body Type	Plastic	Plastic	Plastic	Metal & Plastic	Plastic	Plastic
IP Standard	IP67	IP66	IP66	IP67	IP67	IP67
OSD Menu	No	No	No	No	No	No
WDR	DWDR	DWDR	Yes (130db)	Yes (130db)	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	AGC, Switchable, Built in Mic	AGC, Switchable	AGC, Switchable, 3D DNR	AGC, Switchable, 3D DNR	Smart IR, BLC,AGC, DNR, Switchable	Smart IR, HLC,BLC,AGC, 2D DNR, Switchable, Built in Mic

31

32

33

34

35

36

Click for More
information

DS-2CE16H0T-ITPFS(3.6mm)

DS-2CE16H0T-ITF(3.6mm)

DS-2CE16H0T-ITFS

DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F(2.8mm)

DS-2CE17H0T-IT3F(3.6mm)



Price (Rials)

۲۱,۲۰,۰۰۰

۱۸,۰۰,۰۰۰

۲۳,۵۰,۰۰۰

۲۳,۲۳,۰۰۰

۲۳,۳۰,۰۰۰

۲۴,۱۰۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1

0.01Lux/F1

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

2.8mm Fixed

3.6mm Fixed

Viewing Angle

85.5°/80.1°

85.5°/80.1°

85.5°/80.1°/57.1°

110°/85°/80°

85°

80°

IR Range

Up to 25m (Exir)

Up to 20m (Exir)

Up to 30m (Exir)

Up to 30m

Up to 40m

Up to 40m

Body Type

Plastic

Metal

Metal

Metal & Plastic

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC,BLC,AGC, 2D
DNR, Switchable, Built in
Mic2D DNR, DWDR,
Switchable2D DNR, Switchable,
Built in MicSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, Switchable

37

38

39

40

41

42

Click for More
information

DS-2CE17H0T-IT3FS(2.8mm) DS-2CE17H0T-IT5F(3.6mm) DS-2CE12HFT-F(3.6mm) DS-2CE10HFT-F(3.6mm) DS-2CE56H0T-IT1F DS-2CE76H0T-ITPF(2.4mm)



Price (Rials)	۲۹,۷۹۰,۰۰۰	۲۴,۴۶۰,۰۰۰	۴۰,۱۶۰,۰۰۰	۳۴,۸۱۰,۰۰۰	۲۰,۹۰۰,۰۰۰	۱۷,۴۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2	0.0005Lux/F1.0	0.0005Lux/F1.0	0.01 Lux/F1.2	0.01 Lux/F1.2
Lens	2.8mm Fixed	3.6/6/8mm Fixed	3.6/6mm Fixed	3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.4mm Fixed
Viewing Angle	85°	80°/57°/41°	80.0°/49.3°	80.0°/49.3°	105°/85°/65°	110°
IR Range	Up to 40m	Up to 80m	Up to 40m	Up to 20m	Up to 20m (Exir)	Up to 20m (Exir)
Body Type	Metal & Plastic	Metal & Plastic	Metal	Metal	Metal & Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No	Yes	No
WDR	DWDR	DWDR	Yes (130db)	Yes (130db)	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, 2D DNR, HLC,BLC, Switchable, Built in mic	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, 3D DNR, HLC,BLC,HLS,Anti-banding, Switchable	Smart IR, 3D DNR, HLC,BLC,HLS,Anti-banding, Switchable	Smart IR, ICR, AGC, BLC, Switchable	Smart IR, ICR, AGC, BLC, HLC

43

44

45

46

47

48

Click for More
information

DS-2CE76H0T-ITPF(2.8mm)

DS-2CE76H0T-ITMF(2.8)

DS-2CE76H0T-ITMFS(2.8)

DS-2CE78H0T-IT1F(2.4mm)

DS-2CE78H0T-IT3F

DS-2CE78H0T-IT3FS(3.6mm)



Price (Rials)

١٦,٣٠٠,٠٠٠

٢١,٤٤٠,٠٠٠

٢٤,٢٩٠,٠٠٠

٢٣,٨٦٠,٠٠٠

٢٥,٧٩٠,٠٠٠

٢٥,٤٤٠,٠٠٠

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F2.0

Lens

2.8mm Fixed

2.8mm Fixed

2.8mm Fixed

2.4 mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

85°

105°

85°

110°

85°/80°/57°

85.5°/80°/57°

IR Range

Up to 20m (Exir)

Up to 30m (Exir)

Up to 30m

Up to 30m (Exir)

Up to 40m (Exir)

Up to 40m

Body Type

Plastic

Metal

Metal

Metal & Plastic

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC,
HLCSmart IR, ICR, AGC, BLC,
SwitchableSmart IR, ICR, AGC, BLC,
Switchable, Built in micSmart IR, ICR, AGC,
BLC,HLC, SwitchableSmart IR, ICR, AGC,HLC,
BLC, SwitchableSmart IR, ICR, AGC,
Switchable, Built in mic

49

50

51

52

53

Click for More
information

DS-2CE79H0T-IT3ZF

DS-2CE72HFT-F28(2.8mm)

DS-2CE72KF0T-FS(2.8mm)

DS-2CE78U8T-IT3

DS-2AE4225TI-D



Price (Rials)

۴۵,۷۸۰,۰۰۰

۴۰,۱۶۰,۰۰۰

۳۷,۴۰۰,۰۰۰

۶۳,۸۷۰,۰۰۰

۱۸۰,۵۲۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

PTZ

Imaging Sensor

5 Megapixel

5 Megapixel

3K

8.29 Megapixel

2 Megapixel

Resolution

5MP (2560*1944)

5MP (2560*1944)

3K (2960*1665)

8MP (3840*2160)

1920 × 1080

Signal System

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.6

0.0005 Lux/F1.0

0.001 Lux/F1.0

0.003 Lux/F1.2

0.005 Lux/F1.6

Lens

2.7-13.5mm Motorized

2.8mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

4.8 mm-120mm

Viewing Angle

95°-26°

99.7°

102°

105°/85°/65°

25x Optical Zoom

IR Range

Up to 40m

Up to 20m (ColorVu)

Up to 40m (ColorVu)

Up to 60m (Exir)

Up to 100m

Body Type

Metal

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal

IP Standard

IP67

IP67

IP67

IP67

IP66

OSD Menu

No

No

No

No

No

WDR

DWDR

Yes (130db)

DWDR

Yes (120db)

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, 2D DNR,
Switchable, AGC

Smart IR, 3D DNR

Smart IR, 3D DNR, Built in
mic

Smart IR, ICR

Smart IR, ICR, Switchable,
DarkFighter

54

55

56

57

58

59

Click for More information

DS-7216HGHI-K1

IDS-7204HQHI-M1/S

IDS-7208HQHI-M1/S

DS-7216HQHI-K1

DS-7216HQHI-M1/S

iDS-7216HQHI-M2/S



Price (Rials)

۷۲,۲۷۰,۰۰۰

۴۶,۵۲۰,۰۰۰

۷۳,۳۹۰,۰۰۰

۱۲۱,۸۰۰,۰۰۰

۱۲۴,۰۹۰,۰۰۰

۱۵۴,۴۰۰,۰۰۰

DVR Type

16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4+1 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

16 Ch. HDTV/Analog
Up to 2MP4 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP

IP Video Input

2 Ch. Up to 5MP

1 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

1080P: 15FPS
720P: 15FPS
VGA: 25FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS3K: 30FPS
5MP: 20FPS
1080P: 30FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS

Video Output

1 Port HDMI : 1080P
1 Port VGA1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA
1Ch. CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265 pro+
Compression, ONVIF, Deep
learningH.265/H.265+
Compression, ONVIF,
Smart SearchH.265/H.265+
Compression, ONVIF,
Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265 pro+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart Search

60

61

62

63

64

65

Click for More
information

IDS-7232HQHI-K2

IDS-7232HQHI-M2/S

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7204HUHI-M1/S

DS-7208HUHI-M1/S



Price (Rials)

۲۶۷,۳۲۰,۰۰۰

۲۵۲,۰۲۰,۰۰۰

۶۷,۷۲۰,۰۰۰

۶۷,۴۷۰,۰۰۰

۷۴,۷۲۰,۰۰۰

۱۲۴,۶۳۰,۰۰۰

DVR Type

32+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 + 2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

32 Ch. HDTV/Analog
Up to 4MP32 Ch. HDTV/Analog
Up to 4MPSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording

IP Video Input

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 8MP

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 30FPS
4MP: 30FPS
3mp: 30FPS

Video Output

1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 1080P
1 Port VGA1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 2K
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA

SATA Interface

2 HDD up to 10TB

2 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

Network Interface

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265 Pro+/H.265
Pro/H.265/ Compression,
VCAH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : N/AH.265 Pro+/H.265 Pro,
Onvif

66

67

68

Click for More
information

DS-7216HUHI-K2

IDS-7216HUHI-M2/S

DS-7316HUHI-F4/N



Price (Rials)

۲۱۸,۷۳۰,۰۰۰

۲۲۶,۷۵۰,۰۰۰

۴۴۷,۲۷۰,۰۰۰

DVR Type

16+16Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+8 Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 3MP resolution
recording

IP Video Input

16 Ch. Up to 8MP

8 Ch. Up to 8MP

2 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

5MP: 20FPS
4MP: 25FPS
3mp: 18FPS5MP: 20FPS
4MP: 25FPS
3mp: 18FPS3mp: 15FPS
2mp: 25FPS
720p: 25FPS

Video Output

1 Port HDMI : 4K
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA
CVBS: PAL2 Port HDMI : 4K/1080p
1 Port VGA
CVBS: PAL

SATA Interface

2 HDD up to 10TB

2 HDD up to 10TB

4 HDD up to 6TB

Network Interface

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR
Alarm In/Out : 16/4H.265/H.265+ COMPR
Alarm In/Out : N/AH.265/H.265+ COMPR
Alarm In/Out : N/A