

لیست قیمت هایک ویژن زمستان ۱۴۰۴



تارتن دژ آریانا

نمایندگی مرکزی محصولات هایک ویژن

۰۲۱ - ۵۲۶۰۵

جهت دریافت قیمت همکاری محصولات تماس بگیرید



1

2

3

4

5

6

Part Number

DS-2CD1021G0-I

DS-2CD1023G0-I

DS-2CD1023G2-LIU

DS-2CD1043G0-I

DS-2CD1043G2-LIU

DS-2CD2023G2-I



Price (Rials)

38,500,000

51,300,000

61,370,000

76,500,000

94,780,000

107,820,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2MP (1920x1080)

2MP (1920x1080)

2MP (1920x1080)

4MP (2560x1440)

4MP (2560x1440)

2MP (1920x1080)

Lens

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

IR Range

Up to 20m

Up to 30m(EXIR)

30m (IR & Color)

Up to 30m

30m (IR & Color)

Up to 40m

SD Card

No

No

No

No

No

Yes (Up to 512 G)

Microphone

No

No

Yes (Built in MIC)

No

Yes (Built in MIC)

No

WDR

DWDR

DWDR

DWDR

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

Motion detection,
video tampering,
exceptionMotion detection,
video tampering,
exceptionMotion 2.0 (human &
vehicle), Line crossing,
Intrusion detectionMotion detection,
video tampering,
exceptionMotion 2.0 (human &
vehicle), Line crossing,
Intrusion detectionMotion 2.0 (human &
vehicle), Line crossing,
Intrusion detectionClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



۰۲۱-۵۲۶۰۵



7

8

9

10

11

12

Part Number

DS-2CD2025FHWD-I DS-2CD1047G2H-LIUF/S

DS-2CD2043G2-LI

DS-2CD2043G2-LI2U

DS-2CD2046G2-I

DS-2CD1357G0-L



Price (Rials)

166,870,000

134,210,000

170,490,000

177,760,000

183,150,000

172,520,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Dome

Resolution

2MP (1920x1080)

4MP (2688x1520)

4MP (2688x1520)

4MP (2688x1520)

4MP (2688x1520)

5MP (2560x1920)

Lens

4 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

IR Range

Up to 30m

30m (IR & Color)

40m (IR & Color)

40m (IR & Color)

Up to 40m

Color Vu (30m)

SD Card

Yes (Up to 128 G)

Yes (Up to 512 G)

Yes (Up to 512 G)

Yes (Up to 512 G)

Yes (Up to 512 G)

No

Microphone

No

Yes (Built in MIC)

No

Yes (2 MIC)

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

Line crossing, Intrusion, object removal & face detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, Face detection

Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion detection, video tampering, exception

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵



13

14

15

16

17

18

Part Number

DS-2CD1063G2-LIU-F

DS-2CD2067G2H-LIU/SL

DS-2CD2085G1-I

DS-2CD2086G2-I

DS-2CD2087G2H-LIU

DS-2CD1T43G2-LIU



Price (Rials)

113,500,000

273,510,000

211,000,000

244,600,000

255,200,000

116,520,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

6MP (3200×1800)

6MP (3200×1800)

8MP (3840 × 2160)

8MP (3840 × 2160)

8MP (3840 × 2160)

4MP (2688×1520)

Lens

2.8 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

4 mm Fixed

IR Range

Up to 30m

40m (IR & Color)

Up to 30m

Up to 40m

40m (IR & Color)

Up to 50m (Color)

SD Card

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 128 G)

Yes (Up to 256 G)

Yes (Up to 512G)

Yes (Up to 512G)

Microphone

Yes (Built in MIC)

Yes (Built in MIC)

No

No

Yes (Built in MIC)

Yes (Built in MIC)

WDR

Yes (120db)

Yes (130db)

Yes (120db)

Yes (120db)

Yes (130db)

Yes (120db)

Other Features

Motion detection (human and vehicle), video tampering alarm, exception

Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion detection, Line crossing, Intrusion, object removal & face detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, Face detection

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵



19

20

21

22

23

24

Part Number

DS-2CD2T43G2-2I

DS-2CD2T43G2-4I

DS-2CD2T47G2-L

DS-2CD2T47G2-L

DS-2CD2T43G2-4LI2U

DS-2CD2T46G2-4I



Price (Rials)

156,500,000

174,910,000

229,650,000

220,270,000

181,710,000

192,770,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

4MP (2688×1520)

4MP (2688×1520)

4MP (2688×1520)

4MP (2688×1520)

4MP (2688×1520)

4MP (2688×1520)

Lens

2.8 mm Fixed

4 mm Fixed

4 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

IR Range

Up to 60m

Up to 80m

60m (Color Vu)

60m (Color Vu)

Up to 80m (Color)

Up to 80m

SD Card

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Microphone

No

No

No

No

Yes (2 MIC)

No

WDR

Yes (120db)

Yes (120db)

Yes (130db)

Yes (130db)

Yes (120db)

Yes (120db)

Other Features

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, Face detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, Face detection

Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵



25

26

27

28

29

30

Part Number CD2T67G2H-LISU/SL(e) DS-2CD2646G2-IZS DS-2CD2687G2HT-LIZS DS-2CD2T83G2-4I DS-2CD2T83G2-4LI2U DS-2CD3T83G2-2ISU



Price (Rials)	304,760,000	332,560,000	445,000,000	203,170,000	243,530,000	226,800,000
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	6MP (3200×1800)	4MP (2688 × 1520)	8MP (3840 × 2160)	8MP (3840 × 2160)	8MP (3840 × 2160)	8MP (3840 × 2160)
Lens	2.8 mm Fixed	2.8-12mm Motorized	2.8-12mm Motorized	4 mm Fixed	4 mm Fixed	2.8/4 mm Fixed
IR Range	60m (IR & Color)	Up to 60m	Up to 60m	Up to 80m (EXIR)	80m (IR & Color)	Up to 60m
SD Card	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 256G)	Yes (Up to 512G)	Yes (Up to 512G)
Microphone	Yes (Built in MIC)	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	No	No	Yes (Built in MIC & 1.ch)
WDR	Yes (130db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
Other Features	Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, DarkFighter	Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, DarkFighter	Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, DarkFighter	Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, Face Detection	Motion 2.0 (human & vehicle), Line crossing, Intrusion detection	Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, DarkFighter
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱
 ۰۲۱-۵۲۶۰۵





31

32

33

34

35

36

Part Number

DS-2CD3T83G2-4ISU

DS-2CD1123G2-LIU

DS-2CD1143G0-I

DS-2CD1143G2-LIU

DS-2CD1163G2-LIU

DS-2CD2123G2-IU



Price (Rials)

244,200,000

62,630,000

74,000,000

93,240,000

123,400,000

117,500,000

Camera Type

Bullet

Dome

Dome

Dome

Dome

Dome

Resolution

8MP (3840 × 2160)

2MP (1920x1080)

4MP (2560×1440)

4MP (2560×1440)

6MP (3200×1800)

2MP (1920x1080)

Lens

2.8/4 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

2.8 mm Fixed

IR Range

Up to 90m

30m (IR & Color)

Up to 30m

30m (IR & Color)

30m (IR & Color)

Up to 30m

SD Card

Yes (Up to 512G)

No

No

No

No

Yes (Up to 256G)

Microphone

Yes (Built in MIC & 1.ch)

Yes (Built in MIC)

No

Yes (Built in MIC)

Yes (Built in MIC)

Yes (Built in MIC)

WDR

Yes (120db)

DWDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

Face Capture, Motion 2.0
(human & vehicle), Line crossing,
Intrusion detection,
DarkFighter

Motion 2.0 (human & vehicle), Line crossing,
Intrusion detection

Motion detection, video
tampering alarm,
exception

Motion 2.0 (human & vehicle), Line crossing,
Intrusion detection

Motion 2.0 (human & vehicle), Line crossing,
Intrusion detection

Motion 2.0 (human & vehicle), Line crossing,
Intrusion detection

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵



37

38

39

40

41

42

Part Number

DS-2CD2126G2-ISU

DS-2CD2143G2-LIS2U

DS-2CD2163G2-LIS2U

DS-2CD2183G2-LIS2U

DS-2CD2185FWD-I

DS-2CD2327G2-L



Price (Rials)

152,540,000

174,000,000

178,000,000

215,800,000

221,970,000

151,720,000

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

2MP (1920x1080)

4MP (2688 × 1520)

6MP (3200 × 1800)

8MP (3840 × 2160)

8MP (3840 × 2160)

2MP (1920x1080)

Lens

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

2.8/4 mm Fixed

2.8 mm Fixed

IR Range

Up to 30m

30m (IR & Color)

Up to 30m (Color)

30m (IR & Color)

Up to 30m

30m (ColorVu)

SD Card

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 128G)

Yes (Up to 512G)

Microphone

Yes (Built in MIC & 1.ch)

Yes (2 MIC & 1.ch)

Yes (Built in MIC)

Yes (2 MIC & 1.ch)

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

3D DNR, BLC, HLC, H.265+ COMP

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, face detection

Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱

۰۲۱-۵۲۶۰۵



43

44

45

46

47

48

Part Number

DS-2CD2347G2-L

DS-2CD2H25FWD-IZS

DS-2CD1743G2-LIZU

DS-2CD2643G2-LIZS2U DS-2CD2663G2-LIZS2U

DS-2CD2683G2-LIZS2U



Price (Rials)

206,000,000

309,710,000

184,000,000

307,000,000

311,500,000

367,000,000

Camera Type

Dome

Dome

Dome

Bullet

Bullet

Bullet

Resolution

4MP (2688 × 1520)

2MP (1920x1080)

4MP (2540 × 1440)

4MP (2688 × 1520)

6MP (3200 × 1800)

8MP (3840 × 2160)

Lens

2.8 mm Fixed

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

IR Range

30m (Color Vu)

Up to 30m

80m (IR & Color)

60m (IR & Color)

60m (IR & Color)

60m (IR & Color)

SD Card

Yes (Up to 256G)

Yes (Up to 128 G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Microphone

No

Yes (1.ch Audio Input)

Yes (Built in MIC & 1.ch)

Yes (2 MIC & 1.ch)

Yes (2 MIC & 1.ch)

Yes (2 MIC & 1.ch)

WDR

Yes (130db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

Face Capture, Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, Face Detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection, face detection

Motion 2.0 (human & vehicle), Line crossing, Intrusion detection

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱

۰۲۱-۵۲۶۰۵



Part Number

DS-2CD2443G0-IW



Price (Rials)

173,380,000

Camera Type

Cube

Resolution

4MP (2688x1520)

Lens

2.8/4 mm Fixed

IR Range

Up to 10m

SD Card

Yes (Up to 128G)

Microphone

Yes (Built in MIC)

WDR

Yes (120db)

Other Features

Motion detection,
video tampering,
exception, face
detection

Click for More
information

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵

Part Number	DS-2DE7A232IW-AEB T5	DS-2DE7A432IW-AEB T5	DS-2DE4225IW-DE T5	DS-2DE4425IW-DE T5	DS-2SE4C225MWG-E	DS-2SE4C425MWG-E(14f0)
-------------	----------------------	----------------------	--------------------	--------------------	------------------	------------------------



Price (Rials)	923,000,000	1,042,420,000	509,420,000	580,770,000	808,660,000	895,100,000
Camera Type	PTZ	PTZ	PTZ	PTZ	PTZ	PTZ
Resolution	2MP (1920x1080)	4MP (2560x1440)	2MP (1920x1080)	4MP (2560 × 1440)	2MP (1920x1080)	4MP (2560x1440)
Lens	4.8-153mm Varifocal	5.9-188mm Varifocal	4.8-120mm Motorized	4.8-120mm Motorized	2.8mm (Bullet) 4.8-120mm Motorized	2.8mm (Bullet) 4.8-120mm Motorized
IR Range	Up to 200m	Up to 200m	Up to 100m	Up to 100m	30m (Color)/ 100m (IR)	Up to 30m/Up to 100m
SD Card	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Microphone	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	No	No	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)
WDR	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
Other Features	Face Capture, Motion 2.0 (human&vehicle), Line crossing, Intrusion detection, DarkFighter, auto-tracking	Face Capture, Motion 2.0 (human&vehicle), Line crossing, Intrusion detection, DarkFighter, auto-tracking	Face Capture, Motion 2.0 (human&vehicle), Line crossing, Intrusion detection, DarkFighter	Face Capture, Motion 2.0 (human&vehicle), Line crossing, Intrusion detection, DarkFighter	Face Capture, Motion 2.0 (human&vehicle), Line crossing, Intrusion detection, DarkFighter	Face Capture, Motion 2.0 (human&vehicle), Line crossing, Intrusion detection, DarkFighter
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱
 ۰۲۱-۵۲۶۰۵



56

57

58

59

Part Number

DS-2SE4C425MWG-E

DS-2DE5232W-AE(T5)

DS-2CD2955G0-ISU

DS-2CD6D44G1H-IZS



Price (Rials)

895,100,000

851,580,000

257,320,000

1,496,460,000

Camera Type

PTZ

PTZ

Fisheye

Multisensor

Resolution

4MP (2560x1440)

2MP (1920x1080)

5MP (2560x1920)

4MP (2688x1520)

Lens

2.8mm (Bullet)
4.8-120mm Motorized

4.8-153.6mm

1.05 mm Fixed

2.8-12mm Motorized

IR Range

Up to 30m/Up to 100m

Up to 100m

Up to 8m

Up to 30m

SD Card

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 1TB)

Microphone

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

Yes (Built in MIC & 1.ch)

Yes (1.ch Audio Input)

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

Face Capture, Motion 2.0
(human&vehicle), Line
crossing, Intrusion
detection, DarkFighterFace Capture, Motion 2.0
(human&vehicle), Line
crossing, Intrusion
detection, DarkFighterMotion detection,
video tampering,
exception, Line crossing,
Intrusion detectionMotion detection,
video tampering,
exception, Line crossing,
Intrusion detectionClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵

تارتن در آریانا

CCTV AND SECURITY SYSTEMS



60

61

62

63

64

65

Part Number

DS-7104NI-Q1/M

DS-7604NXI-K1

DS-7608NI-K1

DS-7608NXI-K1

DS-7608NXI-K2

DS-7616NI-Q2



Price (Rials)

58,500,000

137,200,000

159,140,000

173,880,000

197,000,000

182,730,000

NVR Type

4 Ch

4 Ch

8 Ch

8 Ch

8 Ch

16 Ch

Input BandWidth

40Mbps

40Mbps

80Mbps

80Mbps

80Mbps

160Mbps

Output Bandwidth

60Mbps

80Mbps

80Mbps

80Mbps

160Mbps

80Mbps

Audio Input/Output

-

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 4Mp

Upto 12Mp

Upto 8Mp

Upto 12Mp

Upto 8Mp

Upto 8Mp

Video Output

1 Port HDMI : 2MP
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4k
1 Port VGA

SATA Interface

1 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 8TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 8TB

Network Interface

1 RJ45 100M

1 RJ45 1000M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Other Features

Line crossing and
intrusion detectionMotion Detection 2.0
(Human/Vehicle
Analysis), facial
recognitionH.265+ COMP
Alarm I/O 4/1AcuSense (Facial
recognition, perimeter
protection, motion
detection 2.0) Alarm I/O
4/1AcuSense (Facial
recognition, perimeter
protection, motion
detection 2.0) Alarm I/O
4/1Motion Detection 2.0
(Human/Vehicle Analysis),
Line crossing, IntrusionClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵



66

67

68

69

70

71

Part Number

DS-7616NXI-K2

DS-7616NXI-K2/16P

DS-7716NXI-K4

DS-7732NXI-K4

DS-7732NI-K4/16P

DS-9632NI-M8



Price (Rials)

218,620,000

440,830,000

448,960,000

478,900,000

730,040,000

1,446,220,000

NVR Type

16 Ch

16 Ch / 16 POE

16 Ch

32 Ch

32 Ch / 16 POE

32 Ch

Input BandWidth

160Mbps

160Mbps

160Mbps

256Mbps

256Mbps

320Mbps

Output Bandwidth

160Mbps

160Mbps

160Mbps

160Mbps

160Mbps

400Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 2Ch. Out

Decoding Capacity

Upto 12Mp

Upto 12Mp

Upto 12Mp

Upto 12Mp

Upto 8Mp

Upto 32Mp

Video Output

1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P2 Port HDMI : 8K/4K
2 Port VGA : 1080P

SATA Interface

2 HDD up to 10TB

2 HDD up to 10TB

4 HDD up to 10TB

4 HDD up to 10TB

4 HDD up to 10TB

8 HDD up to 16TB

Network Interface

1 RJ45 1000M

1 RJ45 1000M

2 RJ45 1000M

2 RJ45 1000M

1 RJ45 1000M

2 RJ45 1000M

Other Features

AcuSense (Facial
recognition, perimeter
protection, motion
detection 2.0) Alarm I/O
4/1AcuSense (Facial
recognition, perimeter
protection, motion
detection 2.0) Alarm I/O
4/1H.265+ COMPR
Alarm I/O 16/4- Facial
RecognitionAcuSense (Facial
recognition, perimeter
protection, motion
detection 2.0) Alarm I/O
16/4Support special camera
smart functions(Motion
Detection, Line crossing,
Intrusion..), Alarm I/O
16/4H.265+ COMPR
Alarm I/O 16/8, RAID,
DeepinMind- Esata 1Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱
۰۲۱-۵۲۶۰۵



72

73

74

75

76

Part Number

DS-9632NXI-M8/X

DS-9632NI-M16

DS-9664NI-M8/R

IDS-9664NXI-I8/S

DS-9664NI-M16



Price (Rials)

2,852,710,000

2,165,270,000

2,844,450,000

2,011,000,000

3,685,890,000

NVR Type

32 Ch

32 Ch

64 Ch

64 Ch

64 Ch

Input BandWidth

320Mbps

320Mbps

400Mbps

320Mbps

400Mbps

Output Bandwidth

400Mbps

400Mbps

400Mbps

256Mbps

400Mbps

Audio Input/Output

1Ch. In/ 2Ch. Out

1Ch. In/ 2Ch. Out

1Ch. In/ 2Ch. Out

1Ch. In/ 2Ch. Out

1Ch. In/ 2Ch. Out

Decoding Capacity

Upto 32Mp

Upto 32Mp

Upto 32Mp

Upto 32Mp

Upto 32Mp

Video Output

2 Port HDMI :4K,8K
2 Port VGA : 1080P2 Port HDMI : 8K/4K
2 Port VGA : 1080P2 Port HDMI : 8K/4K
2 Port VGA : 1080P2 Port HDMI : 4K/2MP
2 Port VGA : 1080P2 Port HDMI : 8K/4K
2 Port VGA : 1080P

SATA Interface

8 HDD up to 16TB

16 HDD up to 16TB

8 HDD up to 16TB

8 HDD up to 10TB

16 HDD up to 16TB

Network Interface

2 RJ45 1000M

2 RJ45 1000M

2 RJ45 1000M

2 RJ45 1000M

2 RJ45 1000M

Other Features

AcuSense (Facial
recognition, perimeter
protection, motion
detection 2.0) Alarm I/O
16/9, RAIDSupports special
cameras(people
counting camera,
ANPR & fisheye), Alarm
I/O 16/9, RAIDSupports special
cameras(people
counting camera,
ANPR & fisheye), Alarm
I/O 16/9, RAIDSupports special
cameras(people
counting camera,
ANPR & fisheye), Alarm
I/O 16/8, RAIDSupports special
cameras(people
counting camera,
ANPR & fisheye)
Alarm I/O 16/9, RAIDClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵



لیست قیمت UPS هایک ویژن ۱۴۰۴



تارتن دژ آریانا

نمایندگی مرکزی محصولات هایک ویژن

۰۲۱ - ۵۲۶۰۵

جهت استعلام موجودی و اطلاع از آفرهای ویژه با ما تماس بگیرید





1

2

3

4

Part Number

DS-UPS600

DS-UPS1000

DS-UPS2000

DS-UPS3000



Price (Rials)

62,000,000

78,000,000

186,000,000

278,000,000

KVA

0.6

1

2

3

Output Voltage Range

220 V

220 V

220 V

220 V

Transfer Time

 ≤ 10 ms ≤ 10 ms ≤ 10 ms ≤ 10 ms

Battery Type

12 V/7 Ah $\times$ 112 V/9 Ah $\times$ 112 V/9 Ah $\times$ 212 V/9 Ah $\times$ 4

Recharge Time

4-6 hours recover to 90% capacity

4-6 hours recover to 90% capacity

6-8 hours recover to 90% capacity

6-8 hours recover to 90% capacity

Dimension

274 mm $\times$ 95 mm $\times$ 139 mm274 mm $\times$ 95 mm $\times$ 139 mm345 mm $\times$ 122 mm $\times$ 192 mm412 mm $\times$ 145 mm $\times$ 210 mm

Weight

Approx. 4.2 kg

Approx. 5.4 kg

Approx. 11 kg

Approx. 18.5 kg

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



۰۲۱-۵۲۶۰۵



لیست قیمت سوئیچ هایک ویژن ۱۴۰۴



تارتن دژ آریانا

نمایندگی مرکزی محصولات هایک ویژن

۰۲۱ - ۵۲۶۰۵

جهت استعلام موجودی و اطلاع از آفرهای ویژه با ما تماس بگیرید



1

2

3

4

5

6

Part Number

DS-3E0106HP-E

DS-3E0310P-E/M

DS-3E0310HP-E

DS-3E0318P-E/M

DS-3E0326P-E/M

DS-3E1505P-EI



Price (Rials)

30,500,000

43,000,000

64,300,000

119,000,000

172,500,000

47,000,000

4 Port Fast Ethernet

8 Port Fast Ethernet

8 Port Fast Ethernet

16 Port Fast Ethernet

24 Port Fast Ethernet

4 Port Gigabit

Intelligent PoE Management.

8 × 10/100 Mbps PoE port,
2 × Gigabit RJ45 port

Intelligent PoE Management.

VIP port transmission priority

Intelligent PoE Management.

4 × Gigabit PoE port, 1 ×
Gigabit RJ45 portUp to 300 m Long Range
PoE TransmissionUp to 300 m long-range
transmission.Up to 300 m Long Range
PoE TransmissionMaximum 250 m long
distance PoE transmissionUp to 300 m Long Range
PoE Transmission

Total PoE Power Budget 60W

4/8-Core Adaptive Power
Supply with Less Power
Loss.6 KV surge protection for
PoE ports.4/8-Core Adaptive Power
Supply with Less Power
Loss.Supports MAC address
auto learning and auto
aging4/8-Core Adaptive Power
Supply with Less Power
Loss.

Support 802.1Q VLAN

Design for Video
Transmission.

Wire-speed forwarding.

Switching Capacity
5.60 GbpsSupports smart cache
optimizationDesign for Video
Transmission.Support STP/RSTP Loop
prevention6KV Surge Protection to
Improve Reliability in Harsh
Environment.Store-and-forward
switching.
Solid high-strength metal
shell.6KV Surge Protection to
Improve Reliability in Harsh
Environment.Safe and reliable using 6 KV
high surge protection6KV Surge Protection to
Improve Reliability in Harsh
Environment.Up to 300 m Long Range PoE
TransmissionClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



۰۲۱-۵۲۶۰۵



7

8

9

10

11

12

Part Number

DS-3E0505HP-E

DS-3E0510HP-E

DS-3E1510P-EI

DS-3E0520HP-E

DS-3E0528HP-E

DS-3T0506HP-E/HS



Price (Rials)

61,000,000

102,000,000

71,300,000

228,500,000

294,000,000

79,000,000

4 Port Gigabit

8 Port Gigabit

8 Port Gigabit

16 Port Gigabit

24 Port Gigabit

4 Port Gigabit

3 × gigabit PoE port, 1 ×
gigabit Hi-PoE port6 × gigabit PoE port, 2 ×
gigabit Hi-PoE port8 × Gigabit PoE port, 2 ×
Gigabit RJ45 port12 × gigabit PoE port, 4 ×
gigabit Hi-PoE port20 × gigabit PoE port, 4 ×
gigabit Hi-PoE port,3 × gigabit PoE port, 1 ×
gigabit Hi-PoE portUp to 300 m long-range
transmission.Up to 300 m long-range
transmission.Up to 300 m Long Range
PoE TransmissionUp to 300 m long-range
transmission.Up to 300 m long-range
transmission.Up to 300 m long-range
transmission.PoE watchdog to auto
detect and restart the
cameras that do not
respond.PoE watchdog to auto
detect and restart the
cameras that do not
respond.PoE watchdog to auto
detect and restart the
cameras that do not
respond.PoE watchdog to auto
detect and restart the
cameras that do not
respond.PoE watchdog to auto
detect and restart the
cameras that do not
respond.PoE watchdog to auto detect
and restart the cameras that
do not respond.Port isolation to improve
network security.Port isolation to improve
network security.

6 KV surge protection

Port isolation to improve
network security.Port isolation to improve
network security.Port isolation to improve
network security.Store-and-forward
switching.Store-and-forward
switching.Support STP/RSTP Loop
preventionStore-and-forward
switching.Store-and-forward
switching.

Store-and-forward switching.

Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵



13

14

Part Number

DS-3T0510HP-E/HS

DS-3T0510P



Price (Rials)

127,000,000

33,200,000

8 Port Gigabit

8 Port Gigabit

6 × gigabit PoE RJ45 port, 2
× gigabit Hi-PoE RJ45 port

Full gigabit port

Up to 300 m long-range
transmission.The backplane bandwidth
is 20 Gbps.PoE watchdog to auto
detect and restart the
cameras that do not
respond.Supports PoE power supply
and IEEE 802.3AF/AT
standards.Port isolation to improve
network security.The maximum output
power of each PoE port is
30 W.Store-and-forward
switching.Click for More
information

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۵۲۶۰۵

